



NSW WAVE CLIMATE ANNUAL SUMMARY 2020–2021

Report MHL2858
February 2022

Prepared for:

NSW Department of Planning, Industry and Environment
Biodiversity and Conservation Division

Cover photograph: Wamberal Beach erosion, 20 July 2020. MHL drone photo by Eduardo Pombo Lavin

NSW WAVE CLIMATE ANNUAL SUMMARY 2020–2021

Report MHL2858
February 2022

Mark Kulmar
110b King Street
Manly Vale NSW 2093
T: 02 9949 0200
E: mark.kulmar@mhl.nsw.gov.au
W: www.mhl.nsw.gov.au

Document Control

Issue/ Revision	Author	Reviewer	Approved for Issue	
			Name	Date
Draft 7/2/2022	Mark Kulmar	Martin Fitzhenry, BCD		
Final	Mark Kulmar	Bronson McPherson	Ed Couriel	21/2/2022

© Crown in right of NSW through the Department of Planning, Industry and Environment 2022



The data contained in this report is licensed under a Creative Commons Attribution 4.0 licence. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0>

Manly Hydraulics Laboratory and Biodiversity and Conservation Division, NSW Department of Planning, Industry and Environment permit this material to be reproduced, for educational or non-commercial use, in whole or in part, provided the meaning is unchanged and its source, publisher and authorship are acknowledged.

While this report has been formulated with all due care, the State of New South Wales does not warrant or represent that the report is free from errors or omissions, or that it is exhaustive. The State of NSW disclaims, to the extent permitted by law, all warranties, representations or endorsements, express or implied, with regard to the report including but not limited to, all implied warranties of merchantability, fitness for a particular purpose, or non-infringement. The State of NSW further does not warrant or accept any liability in relation to the quality or accuracy of the report and no responsibility is accepted by the State of NSW for the accuracy, currency, reliability and correctness of any information in the report provided by the client or third parties.

Report classification

<input checked="" type="checkbox"/>	Public	Report existence and contents publicly available.
<input type="checkbox"/>	Release by consent only	Report existence is known but contents are available only with consent by MHL's client and the MHL Director.
<input type="checkbox"/>	Private	Report existence and content are strictly confidential.

Report No. MHL2858

ISSN 2205-5584 (Print)

ISSN 2205-5592 (Online)

First published February 2022



Manly Hydraulics Laboratory is Safety, Environment & Quality System Certified to AS/NZS 4801, ISO 14001 and ISO 9001

110B King Street

Manly Vale NSW 2093

T 02 9949 0200

TTY 1300 301 181

ABN 20 770 707 468

www.mhl.nsw.gov.au

Foreword

Manly Hydraulics Laboratory (MHL) is a business unit within the Water Group of NSW Department of Planning, Industry and Environment which operates and maintains a number of ocean wave monitoring stations along the NSW coast under a service level agreement with the Biodiversity and Conservation Division of NSW Department of Planning, Industry and Environment.

This annual summary presents the ocean wave information collected along the New South Wales coast from 1 July 2020 to 30 June 2021. Previous annual summaries have documented the available wave data for each offshore wave data station from the start of records.

Wave data are being collected to provide essential input into design, construction and performance monitoring of projects undertaken as part of the NSW Government programs in the areas of coastal management, beach improvement, estuary management, ports and marine facilities, fishing and wastewater engineering.

The summary has been prepared to catalogue available wave data and provide information on the analysis/presentation software resident at Manly Hydraulics Laboratory.

Requests for further information should be directed to:

Manager Environmental Data	Email	:	data-request@mhl.nsw.gov.au
Manly Hydraulics Laboratory	WWW	:	http://www.mhl.nsw.gov.au/
110b King Street	Telephone	:	(02) 9949 0200
Manly Vale NSW 2093			

Other annual summaries in this series include:

- NSW Estuary and River Water Levels Annual Summary 2020–2021
Manly Hydraulics Laboratory
Report No. MHL2855
ISSN: 2205-5525 (Print)
ISSN: 2205-5533 (Online)
- NSW Coastal Rainfall Annual Summary 2020–2021
Manly Hydraulics Laboratory
Report No. MHL2857
ISSN: 2205-5568 (Print)
ISSN: 2205-5576 (Online)
- NSW Ocean and River Entrance Tidal Levels and Air Pressure Annual Summary 2020–2021
Manly Hydraulics Laboratory
Report No. MHL2856
ISSN: 2205-5541 (Print)
ISSN: 2205-555X (Online)
- NSW Estuary and River Water Quality Annual Summary 2020–2021
Manly Hydraulics Laboratory
Report No. MHL2859
ISSN: 2205-5606 (Print)
ISSN: 2205-5614 (Online)

Electronic copies of the reports in this series can be downloaded at <http://www.mhl.nsw.gov.au> under the 'Publications' menu.

Executive Summary

This annual summary presents ocean wave data captured by the wave monitoring buoy network along the coastline of NSW over the period 1 July 2020 to 30 June 2021. It provides a catalogue of all ocean wave data collected in NSW by MHL for the Biodiversity and Conservation Division of the NSW Department of Planning, Industry and Environment.

During this period, the overall data capture across the network, excluding missing data and data outside of desired quality tolerances, was 81%. Data capture was less than the target network average rate of 85% due the loss and damage by vessel collision of three Waverider buoys during 2020–2021.

This report contains:

- a brief description of the wave climate monitoring program
- guidelines of how to use this report
- information on how to access the wave data
- a summary of wave climate program operations and significant developments for 2020–2021 including data capture, data plots, ocean wave storm events and system downtime
- maps of the location history of each offshore wave monitoring station
- a brief description of wave data capture and analysis
- an index of all ocean wave data available for the NSW coast, including at inshore locations, that has been collected by MHL
- **Appendix A** which includes selected data presentation options available
- **Appendix B**, a glossary of terms
- **Appendix C**, a bibliography of other publications which may be of interest.

Contents

FOREWORD	I
EXECUTIVE SUMMARY	II
CONTENTS	III
1. WAVE CLIMATE PROGRAM	1
2. HOW TO USE THIS REPORT	2
3. HOW TO ACCESS THE DATA	3
4. WAVE CLIMATE PROGRAM SUMMARY 2020–2021	4
4.1 Data capture	4
4.2 Storm events	5
4.3 System down time	5
4.4 Significant developments 2020–2021	5
4.4.1 Waverider buoy tracking by GPS	5
4.4.2 NSW nearshore waves	7
5. WAVE DATA CAPTURE AND ANALYSIS	9
5.1 Non-directional wave analysis	9
5.1.1 Zero crossing analysis	10
5.1.2 Spectral analysis	11
5.2 Directional wave analysis	13
5.2.1 The Directional Waverider buoy	13
5.2.2 Directional wave spectrum	13
6. WAVE DATA INDEX	15
APPENDIX A WEB DATA PRESENTATION FORMATS	A1
APPENDIX B GLOSSARY OF TERMS	B1
APPENDIX C BIBLIOGRAPHY	C1
TABLES	
Table 4.1 New South Wales wave climate: 2020–2021 data capture	4
Table 6.1 Analysed wave data at Manly Hydraulics Laboratory: offshore stations – June 2021	15
Table 6.2 Analysed wave data at Manly Hydraulics Laboratory: site specific stations – June 2021	16
Table 6.3 Analysed wave data at Manly Hydraulics Laboratory: long wave stations – June 2021	16
Table 6.4 Raw wave data at Manly Hydraulics Laboratory: time series data – June 2021	17

FIGURES

- 1.1 New South Wales Offshore Waverider Buoy Locations
- 1.2 Wave Data Collection System
- 4.1 Byron Bay Waverider Buoy Location History
- 4.2 Byron Bay Waverider Buoy – 2020–2021 Significant Wave Height and Wave Direction Time History
- 4.3 Coffs Harbour Waverider Buoy Location History
- 4.4 Coffs Harbour Waverider Buoy – 2020–2021 Significant Wave Height and Wave Direction Time History
- 4.5 Crowdy Head Waverider Buoy Location History
- 4.6 Crowdy Head Waverider Buoy – 2020–2021 Significant Wave Height and Wave Direction Time History
- 4.7 Sydney Directional Waverider Buoy Location History
- 4.8 Sydney Directional Waverider Buoy – 2020–2021 Significant Wave Height and Wave Direction Time History
- 4.9 Port Kembla Waverider Buoy Location History
- 4.10 Port Kembla Waverider Buoy – 2020–2021 Significant Wave Height and Wave Direction Time History
- 4.11 Batemans Bay Waverider Buoy Location History
- 4.12 Batemans Bay Waverider Buoy – 2020–2021 Significant Wave Height and Wave Direction Time History
- 4.13 Eden Waverider Buoy Location History
- 4.14 Eden Waverider Buoy – 2020–2021 Significant Wave Height and Wave Direction Time History
- 4.15 Storm History and Waverider System Downtime Summary – 2020–2021
- 5.1 Zero crossing wave
- 5.2 Spectral diagram
- 5.3 Directional spectrum plot

- A1 Sample Web Page Document – Significant Wave Height Exceedance Table
- A2 Sample Web Page Document – Peak Wave Period Occurrence Table
- A3 Sample Web Page Document – Wave Direction Occurrence Table
- A4 Sample Web Page Document – Joint Wave Height / Wave Period Table
- A5 Sample Web Page Document – Significant Wave Height / Wave Direction Rose
- A6 Sample Web Page Document – Seasonal Significant Wave Height / Wave Direction Roses
- A7 Sample Web Page Document – Storm History Table

1. Wave climate program


The NSW Wave Climate Program is centred around a network of offshore wave sensing buoys (**Figure 1.1**) which telemeter information to onshore recording stations. All stations are based on the Datawell Waverider system which uses an accelerometer mounted in a loose-tethered buoy to measure the vertical accelerations of the buoy as it moves with the water surface. The accelerations are integrated twice within the buoy and the displacement signal so obtained is then transmitted to the shore station. In recent years, buoys that also measure wave direction have replaced the original non-directional buoys. The Directional Waverider buoy was also developed by Datawell and utilises three accelerometers and a compass to provide wave direction information. At the receiving station the Waverider data signal is processed and stored by a personal computer (PC) and transferred every hour to MHL's private cloud via the internet.

Routine offshore wave measurement commenced in 1971 with the establishment of a Sydney station by the Maritime Services Board off Botany Bay. This was followed in 1974 by the then Public Works Department's first station at Port Kembla. Following the establishment of the Port Kembla station, coastal studies by the Public Works Department required further Waverider buoys to be deployed to monitor site specific wave conditions. During these early deployments the importance of reliable long-term wave statistics for coastal management and design purposes was emphasised by several destructive storms that caused severe beach erosion and considerable damage to coastal structures. As a result, during the 1980s the operation of the Waverider buoys was continued to establish a database of offshore wave statistics for the NSW coast.

In March 1992 the Waverider buoy network was enhanced through the deployment of a Directional Waverider buoy off Sydney. As the name suggests, the Directional Waverider buoy measures wave direction in addition to wave height and period. Following the success of the Sydney Directional Waverider buoy deployment, a second Directional Waverider buoy was added to the network in October 1999 when the Byron Bay station was upgraded to a directional site. To provide directional data for the NSW south coast region, the Batemans Bay Waverider station was also upgraded with a Directional Waverider buoy in February 2001. During 2011 and 2012 the buoys at Coffs Harbour, Crowdy Head, Port Kembla and Eden were all upgraded with Directional Waverider buoys, thus enabling the measurement of wave direction at all NSW offshore wave monitoring stations. The Directional Waverider buoys also measure sea surface temperature that is telemetered to the receiving station along with the wave data.

Figure 1.2 presents a schematic of the wave data transfer system operated by Manly Hydraulics Laboratory.

Detailed station location information and data plots for 2020–2021 for all offshore sites are presented in **Figures 4.1 to 4.14**.



BYRON BAY
 LOCATION DETAILS: Figure 4.1
 Available Data: Figure 4.2

COFFS HARBOUR
 LOCATION DETAILS: Figure 4.3
 Available Data: Figure 4.4

CROWDY HEAD
 LOCATION DETAILS: Figure 4.5
 Available Data: Figure 4.6

SYDNEY
 LOCATION DETAILS: Figure 4.7
 Available Data: Figure 4.8

PORT KEMBLA
 LOCATION DETAILS: Figure 4.9
 Available Data: Figure 4.10

BATEMANS BAY
 LOCATION DETAILS: Figure 4.11
 Available Data: Figure 4.12

EDEN
 LOCATION DETAILS: Figure 4.13
 Available Data: Figure 4.14




**NEW SOUTH WALES OFFSHORE
 DIRECTIONAL WAVERIDER BUOY LOCATIONS**

**Manly
 Hydraulics
 Laboratory**

Report MHL2858

Figure
 1.1


DRAWING 2858-01-01.cdr



Waverider buoy



Receiving station



Data transfer schematic

2. How to use this report

The wave information is organised in a menu style.

From the NSW offshore Waverider buoy location map (**Figure 1.1**), a reference is given to a detailed station location map for each Waverider site and to the annual time history plots of wave height from which the user can readily check for data availability, storm events, etc.

Once a choice has been made of the duration for which wave information is required, a variety of ways exist in which a detailed examination of the data can be made. Samples of the selected data presentation formats are provided in **Appendix A**.

In addition to the offshore Waverider buoy data presented in this summary, details of project-specific sites for which data is available in the same formats are catalogued in **Section 6**.

The appropriate information can then be ordered from the Laboratory.

THE SITE INFORMATION IN THIS REPORT HAS BEEN PRESENTED AS A CATALOGUE OF DATA FOR EACH SITE. THE GRAPHICAL SCALES HAVE BEEN SELECTED FOR THIS PURPOSE. AT THESE SCALES THE INFORMATION IS NOT NECESSARILY DIRECTLY SUITABLE FOR ANALYSIS PURPOSES. IT IS THEREFORE RECOMMENDED THAT THIS REPORT ONLY BE UTILISED TO SELECT THE DATA SET REQUIRED. THE FORMAT APPROPRIATE TO THE INTENDED USE CAN THEN BE DETERMINED AND THE DATA PRESENTED ACCORDINGLY.

3. How to access the data

Four modes of database access/distribution are available:

- direct access at Manly Hydraulics Laboratory using a screen terminal for data review in plot or table form
- hard copy tables and plots at Manly Hydraulics Laboratory
- data can be provided in digital form by Manly Hydraulics Laboratory by email or on CD/DVD suitable for transfer to a personal computer
- automated ftp or email distribution from Manly Hydraulics Laboratory to any remote computer.

Quality controlled data can be requested by contacting MHL by email via data-request@mhl.nsw.gov.au

Plots of near-real time wave data for the previous seven days can also be accessed by the internet through Manly Hydraulics Laboratory's home page at:

www.mhl.nsw.gov.au

ANY FEES CHARGED BY MANLY HYDRAULICS LABORATORY FOR THE PROVISION OF DATA ONLY INCLUDE QUALITY CONTROL, COMPUTING, SOFTWARE MAINTENANCE AND DISSEMINATION COSTS.
--

4. Wave climate program summary 2020–2021

4.1 Data capture

Based on offshore wave data recovery achieved by Manly Hydraulics Laboratory over the past 25 years, the target average annual data recovery for all offshore Waverider buoy stations is 85 percent. During normal operations this target is readily achieved by the Waverider buoy network. Any data loss longer than one week is usually due to loss or damage to Waverider buoys by ship collisions. During 2020–2021 the overall data capture for all Waverider buoy stations was 81%. The monthly percentage data capture during 2020–2021 for each Waverider buoy station is provided in **Table 4.1**.

Table 4.1 New South Wales wave climate: 2020–2021 data capture

Waverider site	Data capture (%)												Total year
	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	
Byron Bay	96	97	92	100	100	85	0	13	91	94	94	100	80
Coffs Harbour	94	93	89	97	33	0	28	90	97	86	95	99	75
Crowdy Head	100	100	100	100	100	100	100	100	100	100	97	90	99
Sydney	97	87	67	99	86	97	96	87	83	82	83	99	89
Port Kembla	0	0	51	97	98	97	98	92	91	52	84	98	72
Batemans Bay	95	92	92	95	54	32	90	87	94	93	83	96	84
Eden	91	64	0	56	93	97	82	72	73	85	81	60	71
Total Months	82	78	70	92	81	73	71	77	90	90	88	92	81

Data recovery at several Waverider stations during 2020–2021 was below 85%. The higher than average data loss at these stations was due to:

- Byron Bay – in mid-December 2020 the Waverider buoy was dragged off station and was located east of Evans Head in the local trawling ground. Due to the danger to the local trawler fleet the Waverider buoy was recovered on 27 December 2020 but due to poor sea and weather conditions it was not possible to deploy a replacement buoy until 25 February 2021
- Coffs Harbour – the Waverider buoy went adrift on 12 November 2020 and was not recovered. Further details of the loss are provided in **Section 4.4.1**. Due to problems with deployment vessel availability and poor sea and weather conditions a replacement buoy was not deployed until 20 January 2021
- Port Kembla – extended data loss from 19 June to 15 September 2020 was due to failure of the Waverider buoy batteries. This fault was originally believed to be due to damage to the Waverider buoy antenna and it was planned to recover missing data from the buoy internal memory card. After recovery of the buoy on 15 September 2020 it was found that several of Waverider buoy batteries were faulty resulting in a loss of power supply for the buoy several months earlier than for a fully functional deployment. Due to the failure of the batteries no wave data was recorded on the internal memory card.

Further extended data loss from 3 April to 16 April 2021 was due to a receiving station hardware and software failure

- Batemans Bay – the Waverider buoy went adrift on 16 November 2020 resulting in data loss until the buoy was replaced on 21 December 2020. A GPS tracking device attached to the buoy facilitated the successful recovery of the adrift buoy on 18 November 2020 approximately 400 m off Snapper Point near Merry Beach
- Eden – the Waverider buoy was damaged by a vessel collision resulting in extended data loss from 21 August to 12 October 2020. Poor sea and weather conditions delayed replacement of the buoy. The Waverider buoy went adrift on 11 June 2021 resulting in data loss until the buoy was replaced on 22 June 2021.

Detailed station location information and data plots for 2020–2021 for all offshore sites are presented in **Figures 4.1 to 4.14**.

4.2 Storm events

Days on which the significant wave height exceeded 3 metres at each offshore Waverider buoy site are summarised on **Figure 4.15**.

4.3 System down time


A summary of system down time for periods longer than one day for each offshore site is presented on **Figure 4.15**.

4.4 Significant developments 2020–2021


4.4.1 Waverider buoy tracking by GPS

GPS tracking units supplied by Pivotel[®] are currently being attached to Waverider buoys to check their position once per day. However, should a buoy move outside a predetermined watch-circle MHL is notified by SMS (on a mobile phone) or by email with position updates every hour. A webpage interface operated by Pivotel allows registered users to configure the operation of the GPS tracking units and plot the location of the NSW Waverider buoys. The operation of the tracking units and software has resulted in the successful recovery of seven Waverider buoys that have gone adrift since the tracking units were introduced in November 2015.


On 12 November 2020 the Coffs Harbour Waverider buoy went adrift and the GPS tracking unit indicated that it was quickly drifting south under the influence of the East Australian Current (EAC). The buoy initially remained close to the coast but efforts to organise a vessel to recover the drifting buoy were unsuccessful. The buoy started to drift well offshore under the influence of the EAC when it was east of Forster. From late November 2020 to mid-December 2020 the buoy continued to drift under the influence of eddies that break away from the EAC before it moved to the east of Bass Strait and reached offshore of the east coast of Tasmania by early January 2021 as shown in the following tracking screenshot.



The buoy continued to drift south well offshore of the east coast of Tasmania eventually moving south of Tasmania by mid-February 2021. From mid-February to the end of June 2021 the buoy drifted under the influence of slowly circulating eddies south of Tasmania. The batteries in the tracking unit finally expired on 30 June 2021 with the last update received from approximately 550 km WSW of South West Cape, Tasmania as shown below.



The Batemans Bay Waverider buoy also went adrift in November 2020 and hourly position updates from the Pivotal GPS tracking unit enabled the buoy to be successfully recovered snagged on a reef approximately 400 m off Snapper Point near Merry Beach about 20 km north of its deployment location. The movement of the adrift Waverider buoy is shown below.



4.4.2 NSW nearshore waves

Further refinement of a numerical nearshore wave transformation toolbox that provides an output of wave conditions near the shoreline along the length of the NSW coast was undertaken. The 'NSW Nearshore Waves' project is a collaboration between BCD, MHL and Baird Australia. The project has developed a suite of tools to efficiently transfer offshore wave conditions measured by the NSW Waverider buoy network, and simulated by global and regional ocean wave models, to nearshore locations along the entire NSW coastline. Nearshore wave conditions over the previous six days at the 10 m depth contour at a spacing of 100 m and at the 30 m depth contour every 1000 m are available. In addition to the output derived from the Waverider buoy network, forecast wave conditions based on six-hourly data from the Bureau of Meteorology's AUSWAVE wave forecasting model are available for six days into the future. A screen shot of the NSW Nearshore Waves homepage follows.



Baird.
Innovation Engineered.

NSW Nearshore Wave Forecast

Home | Disclaimer | About NSW Waves | Help | Contact Us | Manly Hydraulics Lab

Wave Data + Forecast

12 Dec	13 Dec	14 Dec
15 Dec	16 Dec	17 Dec
18 Dec	19 Dec	20 Dec
21 Dec	22 Dec	23 Dec

Time: 13:00


Contour: 10m & 30m contour

REFRESH

Location values:

Hs: 1.5m Tp: 7.4s Dir: 150°Nth


The NSW Nearshore Wave Forecast tool provides transformed wave data based on offshore wave conditions from the NSW Waverider buoy network and NOAA WAVEWATCH III model. Data generation is automated and we do not guarantee the timeliness or accuracy of these results. Environment NSW, MHL and Baird Australia accept no responsibility or liability for the use or misuse of data or results presented on this website.



All times displayed are in AEST (UTC+10)

The NSW Nearshore Waves webpage is:

<http://nearshore.waves.nsw.gov.au>



DEPLOYMENT LOCATION	LOCATION DETAILS				WATER DEPTH (m)	DEPLOYMENT PERIOD	
	Latitude (S)	Longitude (E)	MGA (Zone 56J) Easting	MGA (Zone 56J) Northing		First Date	Last Date
1	28°38'24"	153°41'18"	567280	6831690	64	14-Oct-1976	07-Jun-1978
2	28°38'24"	153°43'18"	570530	6831670	70	03-Aug-1978	13-Jun-1979
3	28°38'24"	153°41'12"	567110	6831690	62	08-Aug-1979	09-Aug-1983
4	28°39'48"	153°44'30"	572470	6829080	77	09-Aug-1983	13-Dec-1983
5	28°39'54"	153°44'24"	572310	6828890	77	07-Feb-1984	25-Sep-1984
6	28°40'48"	153°44'24"	572300	6827230	73	25-Sep-1984	30-Jun-1985
7	28°39'24"	153°45'12"	573620	6829810	80	27-Aug-1985	22-Nov-1985
8	28°40'18"	153°44'42"	572790	6828140	78	12-Dec-1985	24-Mar-1987
9	28°40'25"	153°44'31"	572480	6827950	78	24-Mar-1987	19-Nov-1987
10	28°38'05"	153°44'54"	573150	6832250	77	03-Dec-1987	07-Apr-1988
11	28°39'24"	153°44'49"	572980	6829800	77	18-May-1988	07-Nov-1988
12	28°40'30"	153°44'55"	573130	6827780	82	06-Dec-1988	08-Dec-1988
13	28°40'12"	153°44'00"	571650	6828350	72	10-Jan-1989	05-Aug-1989
14	28°40'49"	153°43'55"	571500	6827200	71	29-Aug-1989	14-Dec-1989
15	28°41'35"	153°44'03"	571730	6825790	74	07-Feb-1990	06-Dec-1990
16	28°41'30"	153°44'40"	572730	6825950	73	06-Dec-1990	08-May-1991
17	28°41'33"	153°44'59"	573240	6825840	78	29-May-1991	14-May-1992
18	28°41'55"	153°44'46"	572880	6825170	73	14-May-1992	18-Jun-1993
19	28°40'28"	153°44'26"	572360	6827850	73	23-Jun-1993	21-Jul-1993
20	28°40'46"	153°44'12"	571970	6827300	72	21-Jul-1993	11-Nov-1993
21	28°40'37"	153°44'15"	572060	6827570	72	01-Dec-1993	20-Jul-1994
22	28°41'36"	153°43'57"	571560	6825760	72	20-Jul-1994	05-Feb-1996
23	28°43'32"	153°44'40"	572700	6822180	72	05-Feb-1996	28-Nov-2001
24	28°50'09"	153°43'43"	571080	6809970	71	29-Nov-2000	23-Jan-2001
25	28°49'14"	153°43'38"	570950	6811670	71	10-Feb-2001	29-Aug-2003
26	28°49'44"	153°43'08"	570030	6810570	71	29-Aug-2003	12-Aug-2004
27	28°50'02"	153°43'24"	570570	6810200	71	12-Aug-2004	01-Jan-2005
28	28°49'36"	153°39'48"	564720	6811040	62	04-Feb-2005	11-Dec-2007
29	28°49'21"	153°39'56"	564940	6811500	62	11-Dec-2007	20-Aug-2009
30	28°51'14"	153°42'07"	568470	6808000	62	20-Aug-2009	11-Feb-2012
31	28°51'58"	153°42'00"	568270	6806650	62	11-Feb-2012	05-Oct-2012
32	28°52'04"	153°41'39"	567600	6806540	62	16-Oct-2012	15-Nov-2013
33	28°51'58"	153°41'29"	567430	6806650	62	15-Nov-2013	29-May-2014
34	28°52'14"	153°41'39"	567700	6806160	62	29-May-2014	Present




BYRON BAY WAVERIDER BUOY
LOCATION HISTORY

Manly
Hydraulics
Laboratory

Report MHL2858

Figure
4.1



----- DATA LOSS



BYRON BAY WAVERIDER BUOY
2020–2021 SIGNIFICANT WAVE HEIGHT TIME HISTORY


Manly
Hydraulics
Laboratory

Report MHL2858

Figure

4.2

DRAWING 2858-04-02.cdr



DEPLOYMENT LOCATION	LOCATION DETAILS				WATER DEPTH (m)	DEPLOYMENT PERIOD	
	Latitude (S)	Longitude (E)	MGA (Zone 56J) Easting	MGA (Zone 56J) Northing		First Date	Last Date
1	30°20'30"	153°14'12"	522750	6643320	60	26-May-1976	18-Aug-1983
2	30°24'18"	153°17'12"	527540	6636290	80	18-Aug-1983	20-Dec-1983
3	30°21'00"	153°17'06"	527390	6642380	80	20-Dec-1983	07-Mar-1984
4	30°20'48"	153°16'48"	526910	6642760	79	07-Mar-1984	12-Apr-1985
5	30°20'42"	153°16'30"	526430	6642940	77	12-Apr-1985	09-Jul-1985
6	30°20'36"	153°16'30"	526430	6643130	77	13-Aug-1985	29-Oct-1985
7	30°20'37"	153°16'38"	526640	6643100	77	05-Nov-1985	08-Oct-1987
8	30°20'34"	153°17'03"	527300	6643200	80	08-Oct-1987	25-Sep-1989
9	30°21'04"	153°17'08"	527450	6642250	82	25-Sep-1989	06-Dec-1989
10	30°21'21"	153°16'03"	525700	6641750	71	19-Dec-1989	11-Apr-1990
11	30°21'20"	153°15'48"	525300	6641770	73	11-Apr-1990	22-Feb-1991
12	30°20'55"	153°15'59"	525600	6642550	73	22-Feb-1991	02-Jul-1996
13	30°21'46"	153°16'04"	525730	6640970	74	26-Jul-1996	06-Dec-1997
14	30°21'37"	153°16'09"	525870	6641250	72	18-Jan-1998	07-Nov-2002
15	30°21'36"	153°16'22"	526210	6641280	72	23-Nov-2002	11-Mar-2005
16	30°21'25"	153°16'07"	525920	6641810	72	01-Apr-2005	19-Oct-2009
17	30°21'41"	153°16'11"	525920	6641140	72	19-Oct-2009	13-Feb-2012
18	30°22'22"	153°15'32"	524880	6639880	72	13-Feb-2012	26-Oct-2013
19	30°21'45"	153°16'09"	525870	6641010	72	26-Oct-2013	18-Aug-2016
20	30°22'03"	153°16'40"	526590	6640450	72	18-Aug-2016	Present




COFFS HARBOUR WAVERIDER BUOY
LOCATION HISTORY

Manly
Hydraulics
Laboratory

Report MHL2858

Figure
4.3

DRAWING 2858-04-03.cdr



----- DATA LOSS



COFFS HARBOUR WAVERIDER BUOY
2020–2021 SIGNIFICANT WAVE HEIGHT TIME HISTORY


Manly
Hydraulics
Laboratory

Report MHL2858

Figure

4.4

DRAWING 2858-04-04.cdr



DEPLOYMENT LOCATION	LOCATION DETAILS				WATER DEPTH (m)	DEPLOYMENT PERIOD	
	Latitude (S)	Longitude (E)	MGA (Zone 56J) Easting	MGA (Zone 56J) Northing		First Date	Last Date
1	31°49'37"	152°51'12"	486110	6478730	77	10-Oct-1985	11-Nov-1986
2	31°49'17"	152°51'12"	486110	6479330	77	11-Nov-1986	20-Oct-1987
3	31°49'25"	152°51'26"	486480	6479100	80	20-Oct-1987	08-Aug-1989
4	31°49'26"	152°51'49"	487100	6479050	79	08-Aug-1989	17-Jul-1990
5	31°49'20"	152°51'42"	486900	6479250	77	17-Jul-1990	20-Apr-1993
6	31°49'31"	152°51'47"	487050	6478900	79	20-Apr-1993	21-Nov-1997
7	31°49'31"	152°51'35"	486720	6478910	79	21-Nov-1997	31-Oct-2012
8	31°49'26"	152°51'08"	485910	6479140	79	30-Oct-2012	04-Jul-2013
9	31°48'50"	152°51'22"	486380	6480180	79	10-Jul-2013	20-May-2021
10	31°49'01"	152°51'03"	485880	6479840	79	20-May-2021	Present




CROWDY HEAD WAVERIDER BUOY
LOCATION HISTORY

Manly
Hydraulics
Laboratory

Report MHL2858

Figure
4.5

DRAWING 2858-04-05.cdr



CROWDY HEAD WAVERIDER BUOY
2020–2021 SIGNIFICANT WAVE HEIGHT TIME HISTORY


Manly
Hydraulics
Laboratory

Report MHL2858

Figure

4.6

DRAWING 2858-04-06.cdr



DEPLOYMENT LOCATION	LOCATION DETAILS				WATER DEPTH (m)	DEPLOYMENT PERIOD	
	Latitude (S)	Longitude (E)	GMA (Zone 56H) Easting	GMA (Zone 56H) Northing		First Date	Last Date
1	33°46'26"	151°23'52"	351650	6261750	82	03-Mar-1992	05-Apr-1993
2	33°46'18"	151°24'35"	352740	6262010	85	22-Jun-1993	17-Nov-1993
3	33°46'04"	151°24'36"	352760	6262440	85	17-Nov-1993	01-Dec-1993
4	33°46'02"	151°25'13"	353710	6262520	85	18-Dec-1993	16-Feb-1994
5	33°46'17"	151°25'03"	353460	6262050	85	22-Mar-1994	25-Feb-1995
6	33°46'11"	151°25'18"	353840	6262230	87	25-Feb-1995	11-Feb-1998
7	33°46'31"	151°25'39"	354400	6261640	87	11-Feb-1998	01-Oct-1998
8	33°46'29"	151°25'07"	353570	6261680	85	01-Oct-1998	07-Feb-1999
9	33°46'53"	151°25'09"	353630	6260940	85	26-Mar-1999	23-Nov-1999
10	33°46'57"	151°25'17"	353830	6260840	85	23-Nov-1999	20-Jul-2001
11	33°46'54"	151°25'29"	354160	6260930	85	11-Sep-2001	18-May-2004
12	33°46'45"	151°25'15"	354160	6260930	85	18-May-2004	15-Jan-2005
13	33°46'31"	151°25'04"	353490	6261620	85	15-Feb-2005	13-Mar-2008
14	33°46'18"	151°24'59"	353360	6262020	92	13-Mar-2008	25-Nov-2009
15	33°46'08"	151°24'43"	352940	6262340	92	25-Nov-2009	21-Aug-2012
16	33°45'56"	151°24'39"	352830	6262710	92	21-Aug-2012	24-Apr-2014
17	33°46'18"	151°24'31"	352630	6262020	90	24-Apr-2014	30-Oct-2014
18	33°45'51"	151°24'44"	352970	6262860	90	30-Oct-2014	11-Feb-2015
19	33°46'26"	151°24'42"	352920	6261800	90	11-Feb-2015	Present




**SYDNEY WAVERIDER BUOY
LOCATION HISTORY**

**Manly
Hydraulics
Laboratory**

Report MHL2858

Figure
4.7



----- DATA LOSS



SYDNEY WAVERIDER BUOY
2020–2021 SIGNIFICANT WAVE HEIGHT TIME HISTORY

Manly
Hydraulics
Laboratory

Report MHL2858
Figure
4.8

DRAWING 2858-04-08.cdr



DEPLOYMENT LOCATION	LOCATION DETAILS				WATER DEPTH (m)	DEPLOYMENT PERIOD	
	Latitude (S)	Longitude (E)	MGA (Zone 56H) Easting	MGA (Zone 56H) Northing		First Date	Last Date
1	34°28'52"	150°57'22"	312310	6182590	40	07-Feb-1974	25-Oct-1976
2	34°27'04"	150°59'47"	315940	6185990	50	25-Oct-1976	16-Nov-1983
3	34°28'42"	151°00'54"	317710	6183000	82	16-Nov-1983	14-Jun-1984
4	34°28'01"	151°01'00"	317850	6184280	76	14-Jun-1984	27-May-1988
5	34°28'18"	151°01'18"	318300	6183750	73	01-Jun-1988	19-Dec-1988
6	34°28'30"	151°01'06"	318000	6183380	73	19-Jan-1989	25-Jan-1990
7	34°28'32"	151°01'12"	318150	6183330	77	25-Jan-1990	24-Oct-1991
8	34°27'52"	151°00'55"	317700	6184550	82	24-Oct-1991	24-Jun-1992
9	34°28'24"	151°01'23"	318820	6183090	77	24-Jun-1992	28-Jul-1994
10	34°28'38"	151°01'31"	318650	6183150	78	28-Jul-1994	10-Jun-2003
11	34°28'28"	151°01'34"	318720	6183460	80	25-Jun-2003	15-Jun-2012
12	34°28'19"	151°01'18"	318310	6183740	80	15-Jun-2012	07-Nov-2014
13	34°28'35"	151°01'33"	318700	6183250	80	07-Nov-2014	Present




PORT KEMBLA WAVERIDER BUOY
LOCATION HISTORY

Manly
Hydraulics
Laboratory

Report MHL2858

Figure
4.9

DRAWING 2858-04-09.cdr



----- DATA LOSS




PORT KEMBLA WAVERIDER BUOY
2020–2021 SIGNIFICANT WAVE HEIGHT TIME HISTORY

Manly
Hydraulics
Laboratory

Report MHL2858

Figure
4.10

DRAWING 2858-04-10.cdr



DEPLOYMENT LOCATION	LOCATION DETAILS				WATER DEPTH (m)	DEPLOYMENT PERIOD	
	Latitude (S)	Longitude (E)	MGA (Zone 56H) Easting	MGA (Zone 56H) Northing		First Date	Last Date
1	35°45'19"	150°19'11"	257650	6039860	79	27-May-1986	02-Jun-1986
2	35°42'29"	150°21'25"	260880	6045200	75	02-Jun-1986	30-Sep-1987
3	35°42'05"	150°21'24"	260850	6045950	75	01-Oct-1987	29-Jun-1988
4	35°42'12"	150°21'47"	261430	6045750	84	30-Jun-1988	07-Feb-1989
5	35°42'18"	150°21'18"	260700	6045530	80	07-Feb-1989	19-Mar-1989
6	35°42'18"	150°21'12"	260550	6045530	73	11-Apr-1989	24-Oct-1989
7	35°42'05"	150°21'26"	260900	6045950	75	25-Oct-1989	09-Nov-1989
8	35°42'44"	150°20'35"	259650	6044700	73	22-Nov-1989	26-Apr-1990
9	35°42'40"	150°20'47"	259950	6044830	73	09-May-1990	19-Oct-1990
10	35°42'52"	150°20'39"	259750	6044450	73	13-Nov-1990	05-Jan-1997
11	35°42'26"	150°20'58"	260200	6045270	75	05-Jan-1997	28-Mar-1998
12	35°42'24"	150°20'41"	259780	6045320	73	29-Apr-1998	30-Jul-2004
13	35°42'26"	150°20'55"	260030	6045090	73	30-Jul-2004	18-Dec-2007
14	35°42'11"	150°20'38"	259680	6045740	73	25-Jan-2008	22-Feb-2018
15	35°44'25"	150°19'03"	257540	6041540	65	22-Feb-2018	Present




BATEMANS BAY WAVERIDER BUOY
LOCATION HISTORY

Manly
Hydraulics
Laboratory

Report MHL2858

Figure
4.11



----- DATA LOSS




BATEMANS BAY WAVERIDER BUOY
2020–2021 SIGNIFICANT WAVE HEIGHT TIME HISTORY

Manly
Hydraulics
Laboratory

Report MHL2858

Figure
4.12

DRAWING 2858-04-12.cdr



DEPLOYMENT LOCATION	LOCATION DETAILS				WATER DEPTH (m)	DEPLOYMENT PERIOD	
	Latitude (S)	Longitude (E)	MGA (Zone 56H) Easting	MGA (Zone 56H) Northing		First Date	Last Date
1	37°06'36"	150°00'00"	233420	5888700	55	08-Feb-1978	21-Sep-1983
2	37°05'12"	150°05'48"	241930	5891550	79	21-Sep-1983	22-Sep-1984
3	37°01'00"	150°10'42"	248960	5899540	104	10-Oct-1984	23-Oct-1984
4	37°10'30"	150°09'30"	247710	5881920	86	21-Mar-1985	15-Oct-1986
5	37°10'13"	150°10'01"	248450	5882450	95	15-Oct-1986	04-Feb-1987
6	37°08'28"	150°06'30"	243150	5885550	80	04-Feb-1987	10-Feb-1987
7	37°10'18"	150°08'00"	245480	5882220	90	23-Apr-1987	04-Feb-1988
8	37°09'12"	150°07'35"	244800	5884200	90	04-Feb-1988	07-Mar-1989
9	37°17'12"	150°10'48"	250000	5869580	110	07-Mar-1989	14-Sep-2000
10	37°18'06"	150°11'06"	250500	5866890	100	14-Sep-2000	05-Jul-2012
11	37°15'57"	150°11'36"	251120	5871940	100	20-Jul-2012	Present




EDEN WAVERIDER BUOY
LOCATION HISTORY

Manly
Hydraulics
Laboratory

Report MHL2858

Figure
4.13

DRAWING 2858-04-13.cdr



----- DATA LOSS










EDEN WAVERIDER BUOY
2020–2021 SIGNIFICANT WAVE HEIGHT TIME HISTORY

Manly
Hydraulics
Laboratory

Report MHL2858

Figure
4.14

DRAWING 2858-04-14.cdr



STORM HISTORY AND WAVERIDER SYSTEM
DOWNTIME SUMMARY 2020–2021

Manly
Hydraulics
Laboratory

Report MHL2858

Figure
4.15

DRAWING 2858-04-15.cdr

5. Wave data capture and analysis

All analysed wave data from the offshore sites is archived in MHL's cloud environment. This data set includes selected hand-analysed results for installations operational before 1978 that recorded data on strip chart. Analysed data for all sites is resident in the cloud and raw time series data is archived in a separate cloud-storage system. If required, raw wave data can be recovered from the archive for further analysis.

5.1 Non-directional wave analysis

The first non-directional Waverider buoy was deployed by Manly Hydraulics Laboratory in February 1974 and initially recorded raw wave data traces on paper strip chart every six hours. In 1978 the introduction of the first electronic data loggers allowed more complete analysis but the record interval remained at six hours due to the limited memory capacity of these early loggers. In mid-1984 data logging and analysis was significantly enhanced with the introduction of the Manly Hydraulics Laboratory-developed programmable LSI-11 data logger. The LSI-11 data logger software was upgraded for the introduction of Directional Waverider buoys in March 1992. After over 20 years of service the LSI-11 system was phased out between October 2005 and December 2007 and was replaced with the current *MetOcean* PC data logging, processing and telemetry system.

The recorded 2048-second bursts (34 minutes) at each site are digitised at 1.28 Hz (0.78 second) intervals and the data is conditioned to remove erroneous data points. The data is then analysed using the standard zero crossing and spectral methods. This section briefly outlines the terminology associated with these two methods.

It should be noted that in addition to the offshore network MHL undertakes site specific wave data capture programs associated with particular projects, such as breakwater design/construction, harbour design/construction, beach erosion studies, etc. A range of instruments can be used to obtain wave information.

In general, the following instruments/applications are employed:

- Directional Waverider buoys in deep or intermediate water depth to provide wave height, period and direction spectral information.
- Waverider buoys in deep or intermediate water depth to provide wave height, period and spectral information.
- Electromagnetic wave and tide monitoring systems (EWS) in shallow water to provide wave height, period, spectral and tidal information.
- From 1979 to 1989 Marsh McBirney and InterOcean S4 electromagnetic adaptive current meters were used to provide XY current information over the whole spectrum. The wave components are analysed and stored in a similar fashion to the Waverider and EWS data. Additionally, the current meters can provide wave direction information. When combined with an EWS or pressure sensor, estimates of the directional spectrum can be obtained.

- Teledyne RD Instruments Acoustic Doppler Current Profiler (ADCP) deployed on the seabed in shallow water to capture wave height, period and spectral information. The ADCP provides a comprehensive data set that can be processed to provide data on water level, wave conditions and current speed and direction through the water column above the instrument.

Site specific studies utilise the same software/hardware for record analysis as the offshore network and provide additional inshore information at specific sites. For this reason, a list of these study sites and their operational status has been included in **Section 6**.

5.1.1 Zero crossing analysis

A direct, repeatable and widely accepted method to extract representative statistics from the wave traces is the zero crossing method (**Figure 5.1**). For this method, a 'wave' is defined as the portion of record between two successive zero upcrossings. The waves are ranked (with their corresponding periods), and the following statistics computed:

H_{sig}	:	significant wave height = average height of the waves which comprise the top 33%
H_{10}	:	average height of the waves which comprise the top 10%
H_{max}	:	maximum wave height in a record
H_{rms}	:	root mean square wave height
H_{mean}	:	mean wave height
T_z	:	zero crossing period = mean period
T_{sig}	:	significant period = average period of the waves used to define H_{sig}
T_c	:	crest period = average time between successive crests (this involves a different definition of wave)




Figure 5.1 Zero crossing wave

5.1.2 Spectral analysis

The sea's motion at a point can be thought of as being composed of the sum of an infinite number of sine waves, each with its own amplitude (a), frequency (f) and phase (ϕ).

$$\eta(t) = \int_0^{\infty} a(f) \sin [2\pi ft - \phi(f)] df$$

Spectral analysis using the Fast Fourier Transform technique provides estimates of the components. Rather than plotting the amplitudes, it is conventional to plot the energy density, E (effectively a^2/df).

For convenience, and because users are often interested in the shape of spectra, the values are scaled to give unity area.

The following statistics are computed from the spectrum:

- T_{P1} : Period of highest peak
- T_{P2} : Period of second highest peak
- Y_{rms} : Root mean square surface vertical displacement

M_0, M_1, M_2, M_3 : Spectral moments - $M_n = \int E f^n \Delta f$

These provide parameters describing the shape of the spectrum. Spectral moments can also be related statistically to the zero crossing parameters:

$$H_{rms} \approx 2\sqrt{2M_0} = 2\sqrt{2}Y_{rms}, \text{ where } M_0 = Y_{rms}^2$$

$$H_{sig} \approx 4\sqrt{M_0} = 4Y_{rms} = \sqrt{2}H_{rms}$$

$$H_{10} \approx 5.1\sqrt{M_0} = 5.1Y_{rms}$$

$$H_1 \approx 6.68\sqrt{M_0} = 6.68Y_{rms}$$

$$H_{mean} \approx 2.5\sqrt{M_0} = 2.5Y_{rms} = 0.886H_{rms}$$

An example of a spectral diagram is presented in **Figure 5.2**.




Figure 5.2 Spectral diagram

5.2 Directional wave analysis

5.2.1 The Directional Waverider buoy

Manly Hydraulics Laboratory uses Directional Waverider buoys to monitor wave height, period and direction at the seven NSW offshore wave monitoring stations. The original Mark I version of the Directional Waverider buoy was introduced by Datawell in early 1990, followed by the Mark II buoy in mid-1995. The Mark III Directional Waverider buoy, introduced in the mid-2000s, represented a significant upgrade and included a GPS receiver to continuously report its location to the shore station enabling the buoy location to be tracked should it go adrift. Mark III buoys are used in the NSW Waverider buoy network.

The Directional Waverider buoy utilises a heave-pitch-roll sensor, two fixed 'X' and 'Y' accelerometers and a three axis fluxgate compass to measure both vertical and horizontal motion at a sample rate of 1.28 Hz (0.78 seconds). A single point mooring is used, with horizontal freedom ensured by the inclusion of a 30 m rubber shock cord in the mooring system. An on-board processor converts the buoy motion to three orthogonal (vertical, north-south, east-west) translation signals that are telemetered to the shore station. The directional spectrum is also routinely calculated by the buoy and transmitted to the receiving station for reformatting and storage prior to transfer to MHL via the *MetOcean* email system.

Detailed information on the directional data analysis undertaken by the Directional Waverider buoy can be found in the *Datawell Waverider Reference Manual, 2020*.

5.2.2 Directional wave spectrum

Directional wave spectra plots have been developed by MHL to display the rich directional energy data now available from the NSW Waverider buoy network.

Going beyond the conventional reporting usually provided (wave heights, period and direction), directional spectra plots show information about the sea state in an easy to interpret graphical format, providing an overview of the wave conditions at a glance. An example of a directional spectrum plot is presented in **Figure 5.3**.

The directional spectra analysis takes the raw heave and X, Y displacement data collected by the buoys each hour and processes them to remove noise, before transformation into velocity vectors. These velocities are then fed into a custom implementation of the Directional WAve SPectrum analysis (DIWASP) software which produces the spectral plots for presentation on MHL's website along with key summary statistics.

The summary parameters included with the directional spectra plot are:

- H_s : significant wave height in metres = average of the highest one-third waves recorded during the 55 minute sampling period
- T_p : period in seconds of the highest peak of the energy spectrum
- DT_p : the wave direction at the peak of the energy spectrum (T_p) measured in degrees clockwise from True North.

Directional Spectrum for Batemans Bay at 07h 05/08/2021




Figure 5.3 Directional spectrum plot

The directional spectrum plot presented in **Figure 5.3** shows the direction from which the waves are propagating, so for NSW the wave energy will come from the top right (north-east) to the bottom (south) on the plot. Long period waves (swell) are shown towards the outer edge of the plot and short period waves (sea) down to 2 seconds are near the centre of the plot.

Sea states associated with high wind events appear as broad areas of colour near the centre of the plot as these events generate short period waves with wide directional spreading. Swell that is generated a long distance from the Waverider buoy is usually represented by small peaks in the middle of the plot (10 to 15 seconds) as it is typically associated with long period waves from a narrow direction.

One of the key features of the directional spectra plots is the capacity to represent more than one wave direction source, for example a southerly swell with a north-easterly sea can be depicted on one plot, but such information may be lost in the conventional plots of wave height, period and direction parameters.

The directional spectrum plots are generated hourly in line with the conventional wave height, period and direction graphs provided on the MHL website:

www.mhl.nsw.gov.au/Data-Wave

6. Wave data index

Since 1974 wave data have been collected at over 40 locations along the NSW coast using a variety of wave motion sensors. This section includes a catalogue of all wave data stored on MHL's central computer. Details of analysed wave data available are presented in three tables grouped according to the following categories:

- **Table 6.1:** Offshore stations – Waverider buoys deployed to provide deepwater wave data. The buoys are typically moored in a water depth of 80 m between 6 km and 12 km from the shoreline. At the buoy location the water is sufficiently deep that wave refraction, diffraction, shoaling and friction attenuation effects are minimal
- **Table 6.2:** Site specific stations – wave data collected by a variety of sensors in intermediate or shallow water. These stations gather wave data for particular projects such as breakwater design/construction, harbour design/construction, beach erosion studies, etc. The wave characteristics at these inshore locations may be significantly affected by refraction, diffraction, shoaling and friction attenuation
- **Table 6.3:** Long wave stations – water level data collected at selected EWS stations are filtered and analysed to provide long wave statistics. Long waves have periods that range from 30 seconds to several minutes and are often associated with storm wave activity off the NSW coast.

Due to limited storage capacity on the computer raw time series wave data is archived on optical disk. **Table 6.4** provides an index of raw data stored on optical disk. Prior to mid-2006, at most sites raw data was normally saved twice per day at 0900 and 2100 hours and every second hour during storm events (H_{sig} greater than 3 m for offshore sites). Since 2006, with the introduction of the *MetOcean* system, raw data is archived hourly for all wave data collection stations.

It should be noted that raw data is not available for all sites or before January 1981.

**Table 6.1 Analysed wave data at Manly Hydraulics Laboratory:
offshore stations – June 2021**

Wave data site	Instrument	MGA location (Zone 56)		Water depth (m)	Data available		Record length (years)	Data capture (%)
		Easting	Northing		First date	Last date		
Byron Bay	Waverider buoy	572 700	6 822 180	72	14-Oct-1976	26-Oct-1999		
Byron Bay	Directional Waverider buoy	567 700	6 806 160	62	26-Oct-1999	Present	44.71	76.0
Coffs Harbour	Waverider buoy	525 920	6 641 140	72	26-May-1976	13-Feb-2012	45.12	85.9
Coffs Harbour	Directional Waverider buoy	526 690	6 640 450	72	14-Feb-2012	Present		
Crowdy Head	Waverider buoy	486 720	6 478 910	79	10-Oct-1985	19-Aug-2011	35.72	86.7
Crowdy Head	Directional Waverider buoy	486 380	6 480 180	79	19-Aug-2011	Present		
Sydney	Waverider buoy	353 490	6 261 200	85	17-Jul-1987	04-Oct-2000	13.23	92.2
Sydney Directional	Directional Waverider buoy	352 920	6 261 800	90	03-Mar-1992	Present	29.33	87.3
Port Kembla	Waverider buoy	318 720	6 183 460	80	07-Feb-1974	14-May-2012	47.42	82.7
Port Kembla	Directional Waverider buoy	318 700	6 183 250	80	20-Jun-2012	Present		
Batemans Bay	Waverider buoy	259 780	6 045 320	73	27-May-1986	23-Feb-2001	35.11	89.9
Batemans Bay	Directional Waverider buoy	257 540	6 041 540	65	23-Feb-2001	Present		
Eden	Waverider buoy	250 500	5 866 890	100	08-Feb-1978	16-Dec-2011	43.39	83.6
Eden	Directional Waverider buoy	251 120	5 871 940	100	16-Dec-2011	Present		

**Table 6.2 Analysed wave data at Manly Hydraulics Laboratory:
site specific stations – June 2021**

Wave data site	Instrument	MGA location (Zone 56)		Water depth (m)	Data available		Record length (years)	Data capture (%)
		Easting	Northing		First date	Last date		
Tweed River	EWS	553 860	6 883 725	4	20-Jan-1995	27-Nov-2008	13.86	68.4
Tweed Heads Inshore	Waverider buoy	555 294	6 883 017	13	21-Apr-1989	08-Nov-1989	0.55	97.0
Tweed Heads	Marsh McBirney	555 294	6 883 017	13	09-Jun-1988	10-Oct-1989	1.34	61.6
Cook Island	Marsh McBirney / S4	556 003	6 881 182	12	09-Jun-1988	25-Oct-1989	1.38	40.8
Fingal Head	Marsh McBirney / S4	556 079	6 879 564	12	09-Jun-1988	25-Oct-1989	1.38	30.7
Coffs Harbour Entrance	Marsh McBirney	514 665	6 646 863	9	04-Dec-1986	31-Oct-1987	0.91	52.9
Coffs Harbour Jetty	EWS	513 840	6 647 148	7	05-Nov-1986	15-Jan-1996	9.20	83.7
Coffs Harbour Jetty MMcB	Marsh McBirney	513 840	6 647 148	7	04-Dec-1986	20-Jan-1987	0.13	97.2
Coffs Harbour Boat Ramp	Marsh McBirney	513 674	6 646 699	6	21-Jan-1987	08-Mar-1987	0.13	90.6
Coffs Harbour Quarry	Marsh McBirney	514 163	6 646 618	6	10-Mar-1987	27-Apr-1987	0.13	84.1
Muttonbird Island West	Marsh McBirney	514 110	6 647 040	6	29-Apr-1987	17-Jun-1987	0.13	81.6
Coffs Inner Hbr Entrance	Marsh McBirney	513 790	6 647 313	4	19-Jun-1987	04-Aug-1987	0.13	89.2
Muttonbird Island East	Marsh McBirney	514 790	6 647 105	11	14-Aug-1987	06-Oct-1987	0.15	62.1
Muttonbird Island South	Marsh McBirney	514 415	6 647 000	7	07-Oct-1987	31-Oct-1987	0.07	96.0
Coffs Harbour Central	Marsh McBirney	513 927	6 646 790	8	05-Nov-1987	25-Nov-1987	0.06	96.4
Coffs Inner Harbour	EWS	513 920	6 647 470	4	16-Jan-1996	08-Oct-2011	15.74	83.8
Crowdy Head Harbour	EWS	476 318	6 477 138	2	07-Nov-1986	16-Jul-2012	25.71	75.5
Jimmys Beach	EWS	421 665	6 383 610	3	16-Dec-1983	08-Oct-1985	1.82	86.0
Nelson Bay	EWS	419 720	6 379 447	6	20-Jan-1981	18-Jun-1986	4.92	36.1
Nelson Bay West Point	EWS	419 470	6 379 465	5	19-Jun-1986	20-Apr-1988	1.84	87.6
Swansea	EWS	375 079	6 338 043	2	17-Dec-1987	12-Apr-1991	3.32	98.6
Wamberal Beach	Direction Waverider	356 089	6 299 724	11	05-Aug-2011	16-Mar-2012	0.61	92.7
Broken Bay	Waverider buoy	346 190	6 285 235	24	30-Jan-1981	02-Jun-1983	2.34	53.1
Palm Beach	Marsh McBirney	345 650	6 281 755	24	19-Jun-1981	14-Sep-1982	1.24	41.1
Broken Bay Current	Marsh McBirney	346 190	6 284 795	24	23-Nov-1979	15-Feb-1983	3.23	71.7
Mackerel Beach	EWS	342 270	6 281 775	2	17-Aug-1988	15-Oct-1989	1.16	97.1
Narrabeen Beach	Direction Waverider	342 875	6 267 444	10	27-Jul-2011	14-Nov-2011	0.30	96.4
Long Reef	Waverider buoy	344 749	6 266 181	21	27-Jul-2011	14-Nov-2011	0.30	98.9
Melrose Park	EWS	321 365	6 255 975	2	24-Mar-1988	20-Jul-1988	0.32	81.7
Chiswick	EWS	327 650	6 253 076	2	28-Mar-1988	20-Jul-1988	0.31	74.6
Port Hacking Seaward	EWS	328 830	6 227 575	3	06-Sep-1983	04-Jan-2014	30.33	77.8
Deeban Spit	EWS	327 850	6 227 474	2	15-Sep-1983	03-Oct-1986	3.05	51.4
Port Hacking S'ward MMcB	Marsh McBirney	328 830	6 227 575	3	06-Sep-1983	17-Nov-1986	3.20	56.6
Deeban Spit MMcB	Marsh McBirney	327 850	6 227 474	2	06-Sep-1983	28-May-1985	1.73	60.5
Burraneer Point MMcB	Marsh McBirney	327 763	6 227 931	6	06-Sep-1983	16-Dec-1985	2.28	53.8
Port Kembla Inshore	Waverider buoy	307 990	6 184 970	18	31-May-1978	26-Jul-1982	4.16	72.3
Jervis Bay North	EWS	287 850	6 120 050	6	11-Nov-1981	03-Jul-1989	7.65	62.4
Jervis Bay South	EWS	288 500	6 118 800	8	01-Sep-1981	18-Oct-1983	2.13	35.4
Batemans Bay Inshore	EWS	247 792	6 043 097	7	26-Feb-1987	08-Dec-1990	3.78	94.1
Eden Inshore *	Waverider buoy	758 230	5 892 820	9	24-Nov-1984	11-May-1987	2.46	75.8
Eden Harbour *	EWS	758 324	5 892 999	4	24-Nov-1984	13-Nov-2012	27.97	85.1

* Location is relative to origin of Zone 55

**Table 6.3 Analysed wave data at Manly Hydraulics Laboratory:
long wave stations – June 2021**

Wave data site	Instrument	MGA location (Zone 56)		Water depth (m)	Data available		Record length (years)	Data capture (%)
		Easting	Northing		First date	Last date		
Tweed River	EWS	553 860	6 883 725	4	20-Jan-1995	02-May-2005	10.29	78.8
Coffs Harbour Jetty	EWS	513 840	6 647 148	7	13-Jul-1987	15-Jan-1996	8.52	86.6
Coffs Inner Harbour	EWS	513 920	6 647 470	4	16-Jan-1996	04-Apr-2006	10.22	87.5
Crowdy Head Harbour	EWS	476 318	6 477 138	2	24-Jul-1987	07-Jan-2004	16.47	83.9
Swansea	EWS	375 079	6 338 043	2	09-Sep-1988	12-Apr-1991	2.59	98.3
Mackerel Beach	EWS	342 270	6 281 775	2	17-Aug-1988	15-Oct-1989	1.16	96.4
Port Hacking	EWS	328 830	6 227 575	3	20-Nov-1987	13-Apr-2004	16.41	87.6
Jervis Bay North	EWS	287 850	6 120 050	6	30-Jul-1987	03-Jul-1989	1.93	87.0
Batemans Bay	EWS	247 792	6 043 097	7	26-Aug-1987	08-Dec-1990	3.29	95.3
Eden Harbour *	EWS	758 324	5 892 999	4	28-Jul-1987	28-Feb-2006	18.60	90.4

* Location is relative to origin of Zone 55

**Table 6.4 Raw wave data at Manly Hydraulics Laboratory:
time series data – June 2021**

Wave data site	Instrument	Site category	Available analysed data		Available raw data	
			First data	Last date	First date	Last date
Tweed River	EWS	Inshore	20-Jan-1995	27-Nov-2008	20-Jan-1995	27-Nov-2008
Tweed Heads Inshore	Waverider buoy	Inshore	21-Apr-1989	08-Nov-1989	21-Apr-1989	08-Nov-1989
Byron Bay	Waverider buoy	Offshore	14-Oct-1976	26-Oct-1999	12-Aug-1983	26-Oct-1999
Byron Bay	Direct'n Waverider	Offshore	26-Oct-1999	Present	26-Oct-1999	Present
Coffs Harbour	Waverider buoy	Offshore	26-May-1976	13-Feb-2012	29-Jul-1983	13-Feb-2012
Coffs Harbour	Direct'n Waverider	Offshore	14-Feb-2012	Present	14-Feb-2012	Present
Coffs Harbour Jetty	EWS	Inshore	05-Nov-1986	15-Jan-1996	05-Nov-1986	15-Jan-1996
Coffs Inner Harbour	EWS	Inshore	16-Jan-1996	08-Oct-2011	16-Jan-1996	08-Oct-2011
Crowdy Head	Waverider buoy	Offshore	10-Oct-1985	19-Aug-2011	10-Oct-1985	19-Aug-2011
Crowdy Head	Direct'n Waverider	Offshore	19-Aug-2011	Present	19-Aug-2011	Present
Crowdy Head Harbour	EWS	Inshore	07-Nov-1986	16-Jul-2012	07-Nov-1986	16-Jul-2012
Jimmys Beach	EWS	Inshore	16-Dec-1983	08-Dec-1985	16-Dec-1983	19-Sep-1985
Nelson Bay	EWS	Inshore	20-Jan-1981	18-Jun-1986	20-Jan-1981	18-Jun-1986
Nelson Bay West Point	EWS	Inshore	19-Jun-1986	20-Apr-1988	19-Jun-1986	20-Apr-1988
Swansea	EWS	Inshore	17-Dec-1987	12-Apr-1991	17-Dec-1987	11-Apr-1991
Wamberal Beach	Direct'n Waverider	Inshore	05-Aug-2011	16-Mar-2012	05-Aug-2011	16-Mar-2012
Mackerel Beach	EWS	Inshore	17-Aug-1988	15-Oct-1989	17-Aug-1988	14-Oct-1989
Narrabeen Beach	Direct'n Waverider	Inshore	27-Jul-2011	14-Nov-2011	27-Jul-2011	14-Nov-2011
Long Reef	Waverider buoy	Inshore	27-Jul-2011	14-Nov-2011	27-Jul-2011	14-Nov-2011
Sydney	Waverider buoy	Offshore	17-Jul-1987	04-Oct-2000	17-Jul-1987	04-Oct-2000
Sydney Directional	Direct'n Waverider	Offshore	03-Mar-1992	Present	03-Mar-1992	Present
Melrose Park (Parramatta R)	EWS	River	24-Mar-1988	20-Jul-1988	24-Mar-1988	20-Jul-1988
Chiswick (Parramatta River)	EWS	River	28-Mar-1988	20-Jul-1988	28-Mar-1988	20-Jul-1988
Port Hacking Seaward	EWS	Inshore	06-Sep-1983	04-Jan-2014	06-Sep-1983	04-Jan-2014
Deeban Spit	EWS	Inshore	15-Sep-1983	03-Oct-1986	15-Sep-1983	03-Oct-1986
Port Hacking Seaward MMcB	Marsh McBirney	Inshore	06-Sep-1983	17-Nov-1986	06-Sep-1983	17-Sep-1986
Deeban Spit MMcB	Marsh McBirney	Inshore	06-Sep-1983	28-May-1985	06-Sep-1983	27-May-1985
Burraneer Point MMcB	Marsh McBirney	Inshore	06-Sep-1983	16-Dec-1985	06-Sep-1983	04-Sep-1985
Port Kembla	Waverider buoy	Offshore	07-Feb-1974	14-May-2012	31-Jul-1983	14-May-2012
Port Kembla	Direct'n Waverider	Offshore	20-Jun-2012	Present	20-Jun-2012	Present
Jervis Bay North	EWS	Inshore	11-Nov-1981	03-Jul-1989	27-Dec-1982	03-Jul-1989
Jervis Bay South	EWS	Inshore	01-Sep-1981	18-Oct-1983	04-Jan-1983	18-Oct-1983
Batemans Bay	Waverider buoy	Offshore	27-May-1986	23-Feb-2001	27-May-1986	23-Feb-2001
Batemans Bay	Direct'n Waverider	Offshore	23-Feb-2001	Present	23-Feb-2001	Present
Batemans Bay Inshore	EWS	Inshore	26-Feb-1987	08-Dec-1990	26-Feb-1987	08-Dec-1990
Eden	Waverider buoy	Offshore	08-Feb-1978	16-Dec-2011	26-Jul-1983	16-Dec-2011
Eden	Direct'n Waverider	Offshore	16-Dec-2011	Present	16-Dec-2011	Present
Eden Inshore	Waverider buoy	Inshore	24-Nov-1984	11-May-1987	24-Nov-1984	11-May-1987
Eden Harbour	EWS	Inshore	24-Nov-1984	13-Nov-2012	24-Nov-1984	13-Nov-2012

Appendix A Web data presentation formats

Examples of long-term data analysis data presentation formats available from the Manly Hydraulics Laboratory wave data station webpages are presented in this appendix. The following data analysis information for each Waverider buoy station is available to download:

- Significant wave height exceedance table
- Wave period occurrence table
- Wave direction occurrence table
- Joint wave height / wave period table
- Significant wave height / wave direction rose – all data
- Seasonal significant wave height / wave direction roses
- Storm history table

The data analysis information for each Waverider buoy station is available via the **Station Documents** links on the following webpages:

Byron Bay	https://www.mhl.nsw.gov.au/Station-BYRBOW
Coffs Harbour	https://www.mhl.nsw.gov.au/Station-COFHOW
Crowdy Head	https://www.mhl.nsw.gov.au/Station-CRHDOW
Sydney	https://www.mhl.nsw.gov.au/Station-SYDDOW
Port Kembla	https://www.mhl.nsw.gov.au/Station-PTKMOW
Batemans Bay	https://www.mhl.nsw.gov.au/Station-BATBOW
Eden	https://www.mhl.nsw.gov.au/Station-EDENOW



Significant Wave Height Statistics

Site Name: SYDNEY DIRECTIONAL

Site Code: SYDDOW

Nominated Start/Finish: 03-March-1992 to 31-December-2019, Record Length: 27.83 years

Creation Date: 17-January-2020

Percentage Exceedance for Hsig (m)

Monthly Exceedance Probability														
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total	
Hsig (m)														
0.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.000
0.50	99.97	99.99	100.00	99.89	99.57	99.68	99.63	99.43	99.96	99.84	99.94	99.94	99.94	99.825
1.00	87.91	90.03	89.94	83.91	77.68	81.04	76.73	75.33	81.32	86.39	86.24	85.74	85.74	83.520
1.50	44.70	49.14	50.53	46.79	48.06	51.81	44.89	42.00	42.79	47.03	45.25	44.21	44.21	46.554
2.00	17.22	21.82	24.59	24.62	27.31	30.26	24.35	21.57	19.77	20.62	20.10	17.81	17.81	22.657
2.50	6.67	9.45	11.64	10.90	13.11	17.45	13.27	11.23	9.10	9.28	9.00	6.74	6.74	10.761
3.00	3.15	3.59	5.85	5.46	6.47	10.27	6.98	6.09	4.02	4.58	4.35	2.67	2.67	5.359
3.50	1.36	1.21	2.78	2.87	2.45	5.99	3.69	3.23	1.74	2.12	2.26	1.00	1.00	2.603
4.00	0.49	0.43	0.93	1.45	1.06	3.33	2.15	1.99	0.83	0.96	1.01	0.37	0.37	1.280
4.50	0.14	0.17	0.38	0.74	0.57	1.74	1.19	0.97	0.41	0.39	0.50	0.11	0.11	0.624
5.00	0.00	0.03	0.21	0.38	0.42	1.01	0.52	0.46	0.11	0.16	0.23	0.02	0.02	0.305
5.50	0.00	0.01	0.12	0.23	0.24	0.64	0.24	0.18	0.05	0.10	0.10	0.00	0.00	0.165
6.00	0.00	0.00	0.05	0.16	0.12	0.32	0.12	0.04	0.01	0.02	0.02	0.00	0.00	0.074
6.50	0.00	0.00	0.01	0.10	0.09	0.09	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.028
7.00	0.00	0.00	0.00	0.07	0.07	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.015
7.50	0.00	0.00	0.00	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.006
8.00	0.00	0.00	0.00	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.002
8.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.000
Monthly Statistics														
Minimum	0.48	0.50	0.52	0.38	0.38	0.39	0.39	0.40	0.45	0.40	0.38	0.42	0.38	0.38
Average	1.56	1.63	1.69	1.64	1.64	1.77	1.62	1.56	1.55	1.61	1.60	1.54	1.54	1.62
Maximum	4.95	5.53	6.61	8.06	8.43	7.76	6.96	6.41	6.18	6.17	6.22	5.49	5.49	8.43
Number of Data Points Used for Statistical Analysis														
No. Points	15,826	14,506	16,913	17,188	17,573	17,385	18,976	17,941	17,480	18,221	16,927	17,571	17,571	206,507
Percent Capture Based on Nominated Start/Finish														
% Capture	82.21	82.74	83.84	88.14	87.01	87.87	92.78	87.62	88.62	90.78	87.22	87.78	87.78	87.28

Wave data collected under the NSW Coastal Data Network managed by the Biodiversity and Conservation Division, NSW Department of Planning and Environment



SAMPLE WEB PAGE DOCUMENT
SIGNIFICANT WAVE HEIGHT EXCEEDANCE TABLE

Peak Wave Period Occurrence Statistics

Site Name: COFFS HARBOUR

Site Code: COFHOW

Nominated Start/Finish: 26-May-1976 to 31-December-2019, Record Length: 43.60 years

Creation Date: 17-January-2020

Percentage Occurrence for Peak Wave Period

Monthly Occurrence Probability													
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
TP1 (s)													
2.00- 3.99	0.47	0.31	0.18	0.20	0.12	0.24	0.30	0.43	0.60	0.75	0.62	0.53	0.402
4.00- 5.99	7.67	3.98	2.88	2.63	1.63	2.20	2.61	5.20	7.66	10.95	9.52	9.76	5.624
6.00- 7.99	20.68	14.57	14.06	12.87	10.42	11.31	9.54	10.63	15.59	18.87	21.05	23.49	15.241
8.00- 9.99	38.87	41.33	40.74	37.92	32.57	31.09	30.28	27.94	30.41	29.87	33.18	33.62	33.793
10.00-11.99	23.81	26.89	25.62	29.76	33.12	31.70	30.02	31.20	26.62	25.39	23.06	23.28	27.560
12.00-13.99	7.35	11.59	14.25	14.75	18.79	20.31	23.15	20.50	16.23	12.38	11.60	8.78	15.062
14.00-15.99	0.84	1.20	2.02	1.47	2.62	2.62	3.31	3.40	2.57	1.42	0.80	0.47	1.920
16.00-17.99	0.30	0.13	0.23	0.38	0.68	0.51	0.74	0.68	0.32	0.36	0.17	0.05	0.384
18.00-19.99	0.00	0.00	0.02	0.02	0.05	0.03	0.04	0.01	0.00	0.01	0.00	0.00	0.015
Monthly Statistics													
Minimum	2.60	2.80	3.00	3.00	3.01	2.50	2.30	2.70	2.90	2.90	2.60	2.90	2.30
Average	9.01	9.52	9.72	9.83	10.24	10.21	10.37	10.17	9.62	9.16	9.07	8.88	9.65
Maximum	17.44	17.14	19.70	19.70	19.79	19.79	19.79	19.79	17.44	19.79	17.44	17.14	19.79
Number of Data Points Used for Statistical Analysis													
No. Points	22,794	21,160	22,567	22,003	23,810	22,528	24,047	24,998	25,354	25,160	22,948	23,206	280,575
Percent Capture Based on Nominated Start/Finish													
% Capture	82.78	85.31	83.62	80.90	86.26	83.82	86.94	90.40	93.21	87.95	85.77	84.62	86.00

Wave data collected under the NSW Coastal Data Network managed by the Biodiversity and Conservation Division, NSW Department of Planning and Environment

Wave Direction Occurrence Statistics

Site Name: SYDNEY DIRECTIONAL
Site Code: SYDDOW

Nominated Start/Finish: 03-March-1992 to 31-December-2019, Record Length: 27.83 years

Creation Date: 17-January-2020

Percentage Occurrence for Wave Direction

Monthly Occurrence Probability														
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
Principal Wave Direction (°TN)														
N	(348.75 - 11.24)	0.01	0.00	0.01	0.02	0.03	0.14	0.03	0.08	0.05	0.03	0.01	0.03	0.037
NNE	(11.25 - 33.74)	0.15	0.07	0.16	0.17	0.14	0.24	0.09	0.28	0.15	0.25	0.11	0.12	0.163
NE	(33.75 - 56.24)	4.47	2.52	2.96	1.72	1.53	0.79	0.82	1.94	4.62	5.03	4.56	5.57	3.029
ENE	(56.25 - 78.74)	16.31	12.31	9.46	5.57	5.47	2.85	3.54	4.33	9.47	10.95	15.12	13.85	8.946
E	(78.75 -101.24)	17.29	17.10	15.70	11.48	8.33	7.53	8.86	5.74	6.40	8.55	9.70	11.18	10.465
ESE	(101.25 -123.74)	11.80	14.76	14.40	14.33	10.30	11.22	11.99	7.69	7.45	7.34	9.33	10.31	10.824
SE	(123.75 -146.24)	13.43	15.71	17.31	20.82	18.65	19.05	18.35	19.30	16.75	14.24	14.52	14.54	16.938
SSE	(146.25 -168.74)	19.36	20.21	23.07	29.59	35.16	37.96	35.89	38.87	34.57	31.18	24.92	22.70	29.768
S	(168.75 -191.24)	15.56	16.01	15.19	15.28	18.84	18.60	17.91	18.64	18.26	20.15	19.78	19.79	17.896
SSW	(191.25 -213.74)	1.58	1.30	1.71	0.86	0.98	0.91	1.21	1.82	1.44	1.80	1.80	1.64	1.421
SW	(213.75 -236.24)	0.02	0.01	0.04	0.09	0.14	0.05	0.29	0.25	0.18	0.09	0.04	0.09	0.111
WSW	(236.25 -258.74)	0.01	0.00	0.01	0.01	0.06	0.07	0.16	0.20	0.16	0.07	0.04	0.04	0.071
W	(258.75 -281.24)	0.01	0.00	0.00	0.03	0.09	0.15	0.28	0.33	0.18	0.07	0.01	0.07	0.107
WNW	(281.25 -303.74)	0.00	0.00	0.00	0.01	0.13	0.17	0.34	0.28	0.20	0.17	0.05	0.05	0.123
NW	(303.75 -326.24)	0.00	0.00	0.00	0.01	0.12	0.21	0.16	0.17	0.07	0.05	0.01	0.02	0.071
NNW	(326.25 -348.74)	0.00	0.00	0.00	0.01	0.05	0.04	0.08	0.08	0.03	0.02	0.00	0.01	0.029
Monthly Statistics														
Average		121.41	125.63	128.37	135.01	140.48	143.64	142.48	144.56	136.85	134.41	129.40	128.04	134.50
Number of Data Points Used for Statistical Analysis														
No. Points		15,826	14,506	16,913	17,188	17,573	17,375	18,975	17,941	17,479	18,221	16,927	17,571	206,495
Percent Capture Based on Nominated Start/Finish														
% Capture		82.21	82.74	83.84	88.14	87.01	87.82	92.77	87.62	88.61	90.78	87.22	87.78	87.27

Wave data collected under the NSW Coastal Data Network managed by the Biodiversity and Conservation Division, NSW Department of Planning and Environment

Significant Wave Height vs Peak Wave Period Joint Occurrence Statistics

Site Name: BATEMANS BAY
Site Code: BATBOW

Nominated Start/Finish: 27-May-1986 to 31-December-2019, Record Length: 33.60 years

Total Number of Records Used for Analysis: 265,063
Recovery Rate Based on Nominated Start/Finish: 90.00%

Creation Date: 17-January-2020

Percentage Joint Occurrence for Significant Wave Height and Peak Wave Period

	Tp1 (s)									Total
	2.00 to 3.99	4.00 to 5.99	6.00 to 7.99	8.00 to 9.99	10.00 to 11.99	12.00 to 13.99	14.00 to 15.99	16.00 to 17.99	18.00 to 19.99	
Hsig (m)										
0.00 to 0.49	0.01	0.01	0.06	0.23	0.26	0.22	0.03	0.01	0.00	0.83
0.50 to 0.99	0.24	1.51	4.02	7.28	5.69	3.80	0.38	0.10	0.00	23.02
1.00 to 1.49	0.06	3.78	8.68	12.72	8.92	5.21	0.48	0.13	0.00	39.98
1.50 to 1.99	0.00	1.16	5.09	6.44	5.31	2.74	0.26	0.06	0.00	21.06
2.00 to 2.49	0.00	0.09	2.07	2.72	2.61	1.24	0.10	0.03	0.00	8.86
2.50 to 2.99	0.00	0.00	0.54	1.13	1.22	0.69	0.07	0.02	0.00	3.67
3.00 to 3.49	0.00	0.00	0.08	0.39	0.58	0.37	0.04	0.01	0.00	1.47
3.50 to 3.99	0.00	0.00	0.01	0.12	0.25	0.22	0.03	0.00	0.00	0.63
4.00 to 4.49	0.00	0.00	0.00	0.04	0.11	0.12	0.02	0.00	0.00	0.29
4.50 to 4.99	0.00	0.00	0.00	0.01	0.05	0.05	0.01	0.00	0.00	0.12
5.00 to 5.49	0.00	0.00	0.00	0.00	0.02	0.03	0.00	0.00	0.00	0.05
5.50 to 5.99	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01
6.00 to 6.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6.50 to 6.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7.00 to 7.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total Percentage										
Total %	0.31	6.55	20.55	31.08	25.02	14.70	1.42	0.36	0.00	100.00

Wave data collected under the NSW Coastal Data Network managed by the Biodiversity and Conservation Division, NSW Department of Planning and Environment

Significant Wave Height vs. Direction Rose



Site: Sydney Directional

Start: 03 March 1992

Finish: 01 January 2020

Record Length (yrs): 27.83

N° of Hourly Records: 206,500



Wave data collected under the NSW Coastal Data Network managed by the Biodiversity and Conservation Division, NSW Department of Planning and Environment



SAMPLE WEB PAGE DOCUMENT
SIGNIFICANT WAVE HEIGHT/WAVE DIRECTION ROSE


Manly Hydraulics Laboratory

Report MHL2858


Figure A5

DRAWING 2858-A5.cdr


SUMMER




WINTER



AUTUMN




SPRING



Significant Wave Height vs. Direction Roses

Site:	Crowdy Head
Start:	19 August 2011
Finish:	01 January 2020
Record Length (yrs):	8.37
N° of Hourly Records:	68,476



Wave data collected under the NSW Coastal Data Network managed by the Biodiversity and Conservation Division, NSW Department of Planning and Environment



SAMPLE WEB PAGE DOCUMENT
SEASONAL SIGNIFICANT WAVE HEIGHT/
WAVE DIRECTION ROSE

Manly
Hydraulics
Laboratory

Report MHL2858

Figure
A6

DRAWING 2858-A6.cdr

NSW Wave Climate

Batemans Bay Waverider Buoy Storm History

Site Commissioned: 27-May-86

Date Capture: 90.0%

Storm Date		Storm Duration (Hours) of Hsig (m) greater than:												Peak Hsig	Mean Hsig	Peak Hmax	Mean Tsig	Mean TP1	Peak Power	Mean Power	Deepwater Wave Direction	
Start	Finish	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	(m)	(m)	(m)	(s)	(s)	(kW/m)	(kW/m)	(° TN)	(Compass)	
30-Jun-86	1-Jul-86	14	0	0	0	0	0	0	0	0	0	0	3.4	3.1	6.3	11.2	12.6	74.1	62.8	135	SE	
10-Jul-86	11-Jul-86	19	2	0	0	0	0	0	0	0	0	0	3.7	3.3	6.6	10.4	11.6	84.1	61.6	157	SSE	
25-Jul-86	26-Jul-86	17	4	1	0	0	0	0	0	0	0	0	4.2	3.4	6.9	10.7	12.4	104.2	71.1	180	S	
5-Aug-86	11-Aug-86	100	80	71	53	15	3	0	0	0	0	0	5.6	4.4	11.2	10.1	11.7	180.9	110.3	90	E	
15-Aug-86	15-Aug-86	3	0	0	0	0	0	0	0	0	0	0	3.4	3.3	5.9	7.3	7.5	47.8	44.3	45	NE	
14-Sep-86	15-Sep-86	18	1	0	0	0	0	0	0	0	0	0	3.5	3.2	6.1	8.9	10.0	62.2	49.4	157	SSE	
18-Nov-86	21-Nov-86	60	55	52	42	22	9	1	0	0	0	0	6.0	4.8	10.3	10.5	11.7	221.1	139.0	180	S	
29-Nov-86	30-Nov-86	13	8	4	0	0	0	0	0	0	0	0	4.2	3.7	7.3	9.8	12.3	97.0	75.9	157	SSE	
9-Dec-86	9-Dec-86	3	0	0	0	0	0	0	0	0	0	0	3.3	3.1	5.9	8.4	10.8	51.4	46.3	157	SSE	
4-Jan-87	5-Jan-87	3	0	0	0	0	0	0	0	0	0	0	3.0	3.0	5.7	9.1	10.2	46.9	44.5	67	ENE	
3-Mar-87	3-Mar-87	1	0	0	0	0	0	0	0	0	0	0	3.0	3.0	5.5	9.8	12.2	46.8	46.8	135	SE	
8-Apr-87	9-Apr-87	2	0	0	0	0	0	0	0	0	0	0	3.0	3.0	5.1	7.5	9.2	40.7	37.2	157	SSE	
3-May-87	3-May-87	2	0	0	0	0	0	0	0	0	0	0	3.1	3.1	5.9	9.8	10.2	47.3	47.1	90	E	
18-May-87	19-May-87	28	9	1	0	0	0	0	0	0	0	0	4.0	3.4	7.4	10.4	11.5	87.2	64.3	180	S	
19-Aug-87	20-Aug-87	16	2	0	0	0	0	0	0	0	0	0	3.6	3.3	6.5	8.1	8.0	59.3	51.6	90	E	
1-Sep-87	2-Sep-87	28	11	5	1	0	0	0	0	0	0	0	4.7	3.5	7.1	11.3	12.5	151.2	78.2	157	SSE	
30-Sep-87	30-Sep-87	3	1	0	0	0	0	0	0	0	0	0	3.5	3.3	6.3	7.7	8.1	50.0	44.8	180	S	
21-Oct-87	21-Oct-87	2	0	0	0	0	0	0	0	0	0	0	3.2	3.2	5.5	7.4	8.0	42.0	38.4	157	SSE	
24-Nov-87	24-Nov-87	5	1	0	0	0	0	0	0	0	0	0	3.7	3.3	6.2	8.9	10.0	61.3	51.2	180	S	
2-Dec-87	4-Dec-87	35	4	0	0	0	0	0	0	0	0	0	3.8	3.3	6.4	9.8	11.3	81.4	56.9	180	S	
19-Dec-87	19-Dec-87	1	0	0	0	0	0	0	0	0	0	0	3.0	3.0	4.9	7.2	7.3	33.7	33.7	112	ESE	
21-Dec-87	23-Dec-87	5	0	0	0	0	0	0	0	0	0	0	3.3	3.1	7.0	7.7	10.0	52.0	44.7	157	SSE	
17-Jan-88	17-Jan-88	2	0	0	0	0	0	0	0	0	0	0	3.1	3.1	6.4	5.7	7.8	61.5	51.6	180	S	
31-Jan-88	31-Jan-88	4	0	0	0	0	0	0	0	0	0	0	3.3	3.2	5.7	7.8	8.5	45.9	42.0	180	S	

Wave data collected under the NSW Coastal Data Network managed by the Biodiversity and Conservation Division, NSW Department of Planning and Environment

Appendix B Glossary of terms

Average H_{sig}	: average significant wave height recorded during a storm event.
Average T_{P1}	: average spectral peak period recorded during a storm event.
Average T_{sig}	: average significant wave period recorded during a storm event.
Average Wave Power	: average wave power level recorded during a storm event.
Data Capture / Data Recovery	: number of records collected divided by total number of possible records. Normally expressed as a percentage.
Date / Time	: for start of record.
Deep Water	: water sufficiently deep that surface waves are little affected by the ocean bottom. Generally, water deeper than one-half the surface wave length is considered deep water.
Diffraction	: the 'spreading' of waves into the lee of obstacles such as breakwaters by the transfer of wave energy along wave crests. Diffracted waves are lower in height than the incident waves.
Directional Waverider Buoy	: a floating device used to measure ocean wave height, period and direction. It is a registered trademark of the Dutch company Datawell.
Effective Record Length	: total record length multiplied by the data capture rate.
Electromagnetic Current Meter	: a device that measures current and water pressure variations. If deployed in shallow water current and pressure data can be converted to wave height, period and direction. Current meters manufactured by the American companies Marsh McBirney and InterOcean are used by Manly Hydraulics Laboratory to collect wave data.
Electromagnetic Wave and Tide Monitoring System (EWS)	: linear electromagnetic gauge fixed to a structure used to measure water level variations caused by waves and tides.
Fetch	: the horizontal distance over which a wind blows in generating waves.
Hindcast	: the prediction of wave characteristics using meteorological information as opposed to the measurements of these features.
H_1	: average height of the waves which comprise the top 1%.
H_{10}	: average height of the waves which comprise the top 10%.
H_{max}	: maximum wave height.
H_{mean}	: mean wave height.
H_{rms}	: root mean square wave height.
H_{sig}	: significant wave height = average height of the waves which comprise the top 33%.
Logger	: device for recording digitised data.

Long Wave	: waves with periods greater than 30 seconds. Often associated with storm wave activity along the NSW coast.
M_0, M_1, M_2, M_3	: Spectral Moments - $M_n = \int E f^n \Delta f$. These provide parameters describing the shape of the spectrum.
MS	: Mean Square displacement ($= Y_{rms}^2 = M_0$).
Peak H_{max}	: highest maximum wave height recorded during a storm event.
Peak H_{sig}	: highest significant wave height recorded during a storm event.
Peak Wave Power	: maximum wave power level recorded during a storm event.
Percentage Exceedance	: percentage of time that a given value is exceeded.
Percentage Occurrence	: percentage of time that given value (or range of values) occurs.
Receiver	: shore-based device for receiving incoming wave signals.
Record	: burst of data from the wave measuring device (usually 2048 seconds for Manly Hydraulics Laboratory instruments).
Record Interval	: time between records (usually 1 hour). Prior to June 1984 the standard for wave data collection by Manly Hydraulics Laboratory was 6 hours.
Refraction	: the tendency of wave crests to become parallel to bottom contours as waves move into shallower waters. This effect is caused by the shoaling process which slows down waves in shallower waters.
Sample Increment	: time between sample points measured by the transducer. Sample points are spaced at 0.78 second intervals for directional ocean wave measurement.
Sea Waves	: waves in coastal waters resulting from the interaction of different wave trains and locally generated waves. Typically, sea waves are of short wave length and of disordered appearance.
Shallow Water	: water of such a depth that surface waves are noticeably affected by bottom topography. Generally, water depth less than one-half the surface wave length is considered shallow water.
Shoaling	: the influence of the seabed on wave behaviour. Such effects only become significant in water depths of 60 m or less. Manifested as a reduction in wave speed, a shortening in wave length and an increase in wave height.
Storm Event	: period of high wave activity. For the NSW coastline is normally defined as the time when a H_{sig} greater than 3 metres is recorded at an offshore wave recording station.
Swell Waves	: wind waves remote from the area of generation (fetch) having a uniform and orderly appearance characterised by regularly spaced wave crests.
Total Record Length	: elapsed period from the date of commission to the end of data collection at a recording site.
T_c	: crest period = average time between successive crests.

T_{P1}	: peak period of the energy spectrum.
T_{P2}	: period corresponding to the second biggest peak of the energy spectrum.
T_{sig}	: significant period = average period of the waves used to define H_{sig} .
T_z	: zero crossing period = mean period.
Wave Direction	: the direction from which ocean waves approach a location. Generally, the principal wave direction is represented by the direction that corresponds to the peak period of the energy spectrum (T_{P1}).
Wave Height	: the vertical distance between a wave trough and wave crest.
Wave Length	: the distance between consecutive wave crest or wave troughs.
Wave Period	: the time taken for consecutive wave crests or wave troughs to pass a given point.
Wave Power	: the rate at which wave energy is transmitted in the direction of wave propagation. Normally expressed in watts per metre of wave crest length.
Waverider Buoy	: a floating device used to measure water level variations caused by ocean waves. It is a registered trademark of the Dutch company Datawell.
Wind Waves	: the waves initially formed by the action of wind blowing over the sea surface. Wind waves are characterised by a range of heights, periods and wave lengths. As they leave the area of generation (fetch), wind waves develop a more ordered and uniform appearance and are referred to as swell or swell waves.
Y_{rms}	: root mean square amplitude (not to be confused with H_{rms}).

Appendix C Bibliography

1. Wave data collection and analysis – general

Barstow, S.F. and Kollstad, T., Field trials of the Directional Waverider, *First International Offshore and Polar Engineering Conference*, Edinburgh, United Kingdom, August 1991.

Borgman, L.E., Confidence Intervals for Ocean Wave Spectra, *13th International Coastal Engineering Conference*, Vancouver, 1972.

Coastal Impacts Unit, *Mk4 Datawell Wave Buoy Analysis and Comparison – A Comparison between the Mk4 and Mk3 Datawell Directional Waverider buoys*, Queensland Department of Science, Information Technology and Innovation, November 2017.

Coastal Impacts Unit, *Wave Monitoring Equipment Comparison – An Evaluation of Current and Emerging In-situ Ocean Wave Monitoring Technology*, Queensland Department of Environment and Science, April 2019.

CSIR, *Comparative field tests of a Datawell Directional Waverider and an Electromagnetic Current Meter Pressure Sensor Instrument*, CSIR Report EMAS-T93003, Stellenbosch, February 1993.

CSIRO, *A wave climatology for the Australian Region*, Australian Greenhouse Office, Department of Environment and Water Resources, June 2007.

CSIRO, *Variability and trends in the Australian wave climate and consequent coastal vulnerability*, Department of Climate change Surface Ocean Wave Variability Project, September 2008.

Datawell b.v., *Warec - PC Software*, Datawell b.v. - Laboratory for Instrumentation, October 1992.

Datawell b.v., *Manual of the Digital Waverider Receiver type DIWAR*, Datawell b.v. - Laboratory for Instrumentation, February 1998.

Datawell b.v., *Manual for the Wave Direction Receiver 'WAREC'*, Datawell b.v. - Laboratory for Instrumentation, April 1998.

Datawell b.v., *Datawell Directional Waverider Manual Mark II*, Datawell b.v. – Laboratory for Instrumentation, June 2004.

Datawell b.v., *Datawell Waverider Installation Guide*, Datawell b.v. - Laboratory for Instrumentation, June 2005.

Datawell b.v., *Datawell Waverider Receiver Manual RX-D type 2*, Datawell b.v. - Laboratory for Instrumentation, November 2005.

Datawell b.v., *Datawell Waverider Reference Manual (including FB2 electronics unit) WR-SG, DWR-MkIII*, Datawell b.v. – Laboratory for Instrumentation, June 2011.

Datawell b.v., *Datawell Waverider Reference Manual, WR-SG, DWR-MkIII, DWR-G*, Datawell BV, February 2020.

Draper L., The Analysis and Presentation of Wave Data - A Plea for Uniformity, *10th International Coastal Engineering Conference*, Japan, September 1966.

Goda, Y., Wave Measurements and Utilisation of Wave Data, *6th Australian Conference on Coastal and Ocean Engineering*, Brisbane, Institution of Engineers, Australia, July 1983.

Hamilton, L.J., *Bibliography of Wind-Wave Data and Publications for the Coastal Regions of Australia*, Department of Defence, Defence Science and Technology Organisation, Report DSTO-GD-0116, February 1997.

Harris, D.L., Analysis of Wave Records, *12th International Coastal Engineering Conference*, Washington, September 1970.

Harris, D.L., Finite Spectrum Analysis of Wave Records, *International Symposium on Ocean Wave Measurement and Analysis*, New Orleans, September 1974.

Kuik, A.J. and Holthuijsen, L.H., Buoy Observation of Directional Wave Parameters, *Conference on Directional Wave Spectra Applications*, Berkeley, California, American Society of Civil Engineers, September 1981.

Kuik, A.J. and van Vledder, G., Proposed Method for the Routine Analysis of Pitch-Roll Buoy Data, *Symposium on Description and Modelling of Directional Seas*, Denmark, Danish Hydraulic Institute and Danish Maritime Institute, June 1984.

Lawson, N.V., Rice, R.A. and Szykarski, S.P., World Satellite Altimeter Wave Data Base, *11th Australasian Conference on Coastal and Ocean Engineering*, Townsville, Institution of Engineers, Australia, August 1993.

MacLaren Plansearch Limited, *Evaluation/Validation of the new Datawell Directional Waverider Buoy*, Report 05889SRE.001, Nova Scotia, Canada, 1991.

Mansard, E.P.D. and Funke, E.R., A Comprehensive Wave Data Analysis Package, *International Conference on Measuring Techniques of Hydraulic Phenomena in Offshore, Coastal and Inland Waters*, London, BHRA, The Fluid Engineering Centre, April 1986.

Morim, J., Cartwright, N., Etemad-Shahidi, A., Strauss, D. and Hemer, M., *Wave energy resource assessment along the Southeast coast of Australia on the basis of a 31-year hindcast*, Applied Energy 184 276-297, 2016.

NOAA, *Nondirectional and Directional Wave Data Analysis Procedures*, National Data Buoy Center, NDBC Technical Document 96-01, January 1996.

Oceanographic Company of Norway A/S., *Field Trials of the Directional Waverider*, Trondheim, Norway.

Pitt, E.C. Pascall, R.W. and van Heteren, J., A Comparison of the Measurements made by two Pitch-Roll Buoys during the NURWEC Project, *Ocean-Data Conference - Evaluation, Comparison and Calibration of Ocean Instruments*, London, 1985.

Reid, J.S., Some Comments on Ocean Wave Statistics, *9th Australasian Conference on Coastal and Ocean Engineering*, Adelaide, Institution of Engineers, Australia, December 1989.

Siefert, W., Shallow Water Wave Characteristics, *13th International Coastal Engineering Conference*, Vancouver, 1972.

Tremarfon Pty Ltd, *Ocean Wave Data Collection System Software Guide*, Tremarfon Pty Ltd for Manly Hydraulics Laboratory, September 2010.

Thompson, W.G., Swell and Storm Characteristics from Coastal Wave Records, *12th International Coastal Engineering Conference*, Washington, September 1970.

Tucker, M.J., *Waves in Ocean Engineering, measurement, analysis and interpretation*, Ellis Horwood Limited, 1991.

Tucker, M.J., *Recommended Standard for Wave Data Sampling and Near Real-time Processing*, Oil Industry International Exploration and Production Forum, London, Report No. 3.14/186, June 1992.

van der Vlugt, A.J.M., Kuik, A.J. and Holthuijsen, The Wavec Directional Buoy under Development, *Conference on Directional Wave Spectra Applications*, Berkeley, California, American Society of Civil Engineers, September 1981.

van der Vlugt, A.J.M., The Wavec Buoy for Routinely Measuring the Direction of Sea Waves, *International Conference on Wave and Wind Directionality Applications to the Design of Structures*, Paris, September 1981.

van der Vlugt, A.J.M., Experience with the Wavec Buoy, *Symposium on Description and Modelling of Directional Seas*, Denmark, Danish Hydraulic Institute and Danish Maritime Institute, June 1984.

Wang, S. and Le Mehaute, B., Duration of Measurements and Long-Term Wave Statistics, *Journal of Waterway Port Coastal and Ocean Engineering*, Vol. 109 No. 2, American Society of Civil Engineers, May 1983.

Waters, C.B., Experiences in the Operation of Waverider Buoys, *16th Congress International Association for Hydraulic Research*, Brazil, 1975.

Wilson, J.R. and Baird, W.F., A Discussion of Some Measured Wave Data, *13th International Coastal Engineering Conference*, Vancouver, 1972.

2. Wave data collection and analysis – New South Wales

Abernethy, C.L. and Lawson, N.V., Statistical Distributions of Wave Parameters off Botany Bay, *1st Australian Conference on Coastal Engineering*, Sydney, Institution of Engineers, Australia, May 1973.

Allan, A.J., Bolton, A.W. and Webb, A.T., A Second Generation Wave Recording Network, *International Conference on Measuring Techniques of Hydraulic Phenomena in Offshore, Coastal and Inland Waters*, London. BHRA, The Fluid Engineering Centre, April 1986.

Australian Water and Coastal Studies Pty Ltd, *DWAVE - Wave Data Software Wave Power Statistics User's Guide*, Report No. 90/07, July 1990.

Australian Water and Coastal Studies Pty Ltd, *Wave Power Study for Selected Sites along the New South Wales Coastline*, Report No. 91/08, May 1991.

Australian Water and Coastal Studies Pty Ltd, *Sydney Deepwater Outfalls Environmental Monitoring Program, Post Commissioning Phase, An Examination of Ocean Reference Station Wind and Wave Data*, Interim Report 93/01/14, December 1995.

Coghlan, I., Mole, M., Shand, T., Carley, J., Peirson, W., Miller, B., Kulmar, M., Couriel, E., Modra, B. and You, Z.J., *High Resolution Wave Modelling (HI-WAM) for Batemans Bay Detailed Wave Study*, Coasts and Ports 2011 Conference, Perth, Australia, September 2011.

Department of Finance and Services, *Batemans Bay Wave Climate Study*, Manly Hydraulics Laboratory, Report MHL2003, December 2010.

Department of Public Works and Services, *New South Wales Central Coast 1995 Wave Data Analysis*, Manly Hydraulics Laboratory, Report MHL754, June 1997.

Department of Public Works and Services, *New South Wales Coast May 1997 Storm Analysis*, Manly Hydraulics Laboratory, Report MHL886, December 1997.

Foster, D., Gordon, A.D. and Lawson, N.V., *The Storms of May-June 1974*, Sydney, NSW, *2nd Australian Conference on Coastal and Ocean Engineering*, Gold Coast, Institution of Engineers, Australia, April 1975.

Gordon, A.D., *Beach Fluctuations and Shoreline Change*, *8th Australasian Conference on Coastal and Ocean Engineering*, Launceston, Institution of Engineers, Australia, December 1987.

Glatz, M., Fitzhenry, M. and Kulmar, M., *It's Time for an Update – Extreme Waves and Directional Distributions along the New South Wales Coastline*, *26th NSW Coastal Conference*, Port Stephens, Port Stephens Council, November 2017.

Jayewardene, I.F.W., Haradasa, D.K.C. and Tainsh, J., *Analysis of Wave Groupiness*, *11th Australasian Conference on Coastal and Ocean Engineering*, Townsville, Institution of Engineers, Australia, August 1993.

Kemp, R., Gage, B., Moodie, N. and Kulmar, M., *Climatology of Large Wave Events and Associated Weather Systems Along the NSW Coast*, *16th Australasian Coastal and Ocean Engineering Conference*, Institution of Engineers, Australia, Auckland, NZ, September 2003.

Kulmar, M.A., *Wave Direction Distributions off Sydney, New South Wales*, *12th Australasian Coastal and Ocean Engineering Conference*, Melbourne, Institution of Engineers, Australia, May 1995.

Kulmar, M., Lord, D. and Sanderson, B., *Future Directions for Wave Data Collection in New South Wales*, *17th Australasian Conference on Coastal and Ocean Engineering*, Adelaide, Engineers Australia, September 2005.

Kulmar, M., Modra, B. and Fitzhenry, M., *The New South Wales Wave Climate – Improved Understanding through the Introduction of Directional Wave Monitoring Buoys*, *2013 Australasian Coasts and Ports Conference*, Sydney, Engineers Australia, September 2013.

Lawson, N.V. and Abernethy, C.L., *Long Term Wave Statistics off Botany Bay*, *2nd Australian Conference on Coastal and Ocean Engineering*, Gold Coast, Institution of Engineers, Australia, April 1975.

Lawson, N.V., McCowan, A.D. and Treloar, P.D., *Inter-Relationships between Wave Periods for the NSW, Australia Coast*, *8th Australasian Conference on Coastal and Ocean Engineering*, Launceston, Institution of Engineers, Australia, December 1987.

Lawson, N.V. and Youll, P.H., *Storm Duration and Return Interval for Waves off the Central NSW Coast*, *3rd Australian Conference on Coastal and Ocean Engineering*, Melbourne, Institution of Engineers, Australia, April 1977.

Lawson, N.V. and Youll, P.H., *Realtime Wave Analysis*, Newcastle, Australia, *17th International Conference on Coastal Engineering*, Sydney, Institution of Engineers, Australia, March 1980.

Lord, D. and Kulmar, M.A., *The 1974 Storms Revisited: 25 years Experience in Ocean Wave Measurement along the South-East Australian Coast*, *27th International Conference on Coastal Engineering*, Sydney, Institution of Engineers, Australia, July 2000.

McMonagle, C.J. and Fidge, B.L., A Study of Extreme Values of Water Level and Wave Height at Coffs Harbour, *5th Australian Conference on Coastal and Ocean Engineering*, Perth, Institution of Engineers, Australia, November 1981.

NSW Public Works, *Waverider User Manual*, Manly Hydraulics Laboratory, Version 3.4, June 1993.

NSW Public Works, *Wave Direction Study - Satellite Imagery Progress Report No.2*, Manly Hydraulics Laboratory, Report MHL641, March 1993.

NSW Public Works, *Sydney Directional Waverider Buoy*, Manly Hydraulics Laboratory, Interim Report MHL656, April 1995.

NSW Public Works, *Batemans Bay Wave Climate Study*, Manly Hydraulics Laboratory, Draft Report MHL2003, October 2010.

Public Works Department, NSW, *Wave Data Collection at Manly Laboratory*, Manly Hydraulics Laboratory, Report MHL311, April 1982.

Public Works Department, NSW, *Wave Statistics for Port Kembla*, Manly Hydraulics Laboratory, Report MHL416, August 1984.

Public Works Department, NSW, *Comparison of Wave Statistics between Byron Bay and Coffs Harbour*, Manly Hydraulics Laboratory, Report MHL422, November 1984.

Public Works Department, NSW, *DWAVE Data Presentation*, Manly Hydraulics Laboratory, Report MHL427, September 1985.

Public Works Department, NSW, *Wave Data Conditioning*, Manly Hydraulics Laboratory, Report MHL436, August 1985.

Public Works Department, NSW, *Hand Reduction of Wave Data for Port Kembla, 1974-1983*, Manly Hydraulics Laboratory, Report MHL442, November, 1985.

Public Works Department, NSW, *Elevated Ocean Levels - Storms Affecting the NSW Coast 1880-1980*, Coastal Branch, Report No. 85041, December 1985.

Public Works Department, NSW, *Development of a Radar Facility to Measure Wave Direction and Currents*, Manly Hydraulics Laboratory, Report MHL456, April 1986.

Public Works Department, NSW, *Elevated Ocean Levels - Storms Affecting the NSW Coast 1980-1985*, Coastal Branch, Report No. 86026, August 1986.

Public Works Department, NSW, *DWAVE - Wave Data Software*, Manly Hydraulics Laboratory, Report MHL399, July 1987.

Public Works Department, NSW, *Zwarts User's Manual*, Manly Hydraulics Laboratory, Report MHL406, Revised Edition, July 1987.

Public Works Department, NSW, *Jervis Bay Wave and Tide Data*, Manly Hydraulics Laboratory, Report MHL476, June 1988.

Public Works Department, NSW, *Nelson Bay Wave Data*, Manly Hydraulics Laboratory, Report MHL543, July 1988.

Public Works Department, NSW, *Eden Wave Data Collection Network*, Manly Hydraulics Laboratory, Report MHL542, November 1988.

Public Works Department, NSW, *Batemans Bay Oceanographic and Meteorological Data 1986-89*, Manly Hydraulics Laboratory, Report MHL556, August 1990.

Public Works Department, NSW, *Storm Surges Monitored along the NSW Coast March - April 1990*, Manly Hydraulics Laboratory, Report MHL591, November 1991.

Short, A.D., *Beaches of the New South Wales Coast - a Guide to their Nature, Characteristics, Surf and Safety*, Australian Beach Safety and Management Program, 1993.

Tremarfon Pty Ltd, *Ocean Wave Data Collection System Software Guide*, September 2010.

Trenaman, N.L. and Short, A.D., *Deepwater and Breaker Wave Climate of the Sydney Region New South Wales 1971-1985*, Coastal Studies Unit, The University of Sydney, Report No. 87/1, December 1987.

University of New South Wales, *NSW Coastal Inundation Hazard Study: Coastal Storms and Extreme Waves*, Water Research Laboratory and Macquarie University, WRL Technical Report 2010/16, January 2011.

Watson, P., Lord, D., Kulmar, M., McLuckie, D. and James, J., *Analysis of a Storm – June 2007*, 16th *NSW Coastal Conference*, Yamba, Clarence Valley Council, November 2007.

Webb, A.T., *Wave Climate of the New South Wales Coast*, 6th *Australian Conference on Coastal and Ocean Engineering*, Gold Coast, Institution of Engineers, Australia, July 1983.

Webb, A.T. and Bolton, A.W., *Wave Data on Tap*, 8th *Australasian Conference on Coastal Engineering*, Launceston, Institution of Engineers, Australia, December 1987.

Webb, A.T. and Kulmar, M.A., *Coastal Wave Climate of New South Wales - An Update*, 9th *Australasian Conference on Coastal and Ocean Engineering*, Adelaide, Institution of Engineers, Australia, December 1989.

Wyllie, S.J., Kulmar, M.A. and Davidson, P.J., *Development of Design Offshore Wave and Ocean Level Conditions for the New South Wales Coastal Zone*, 2nd *Coastal Management Conference*, Kiama, Kiama Municipal Council, November 1992.

Wyllie, S.J. and Kulmar, M.A., *Coastal Wave Monitoring*, *Australian Marine Data Collection and Management Guidelines Workshop*, Hobart, Environmental Resources Information Network, December 1995.

Willoughby, M.A., *NSW Central Coast Wave Climate - 1995 Update*, 12th *Australasian Coastal and Ocean Engineering Conference*, Melbourne, Institution of Engineers, Australia, May 1995.

You, Z.J. and Jayewardene, I., *The Occurrence of Extreme Coastal Storms Along the NSW Coast*, *National Environment Conference*, Brisbane, 2003.

You, Z.J. and Lord, D., *Influence of the El Nino Southern Oscillation on the NSW Coastal Storm Severity*, *Journal of Coastal Research*, 24: 203-207, 2008.

You, Z.J., *Extrapolation of extreme wave height with a proper probability distribution function*, *Australasian Coasts and Ports Conference*, 17-20 July, Melbourne, 2008.

Youll, P.H., *Botany Bay Waverider System - Ten Years of Records*, 5th *Australian Conference on Coastal and Ocean Engineering*, Perth, Institution of Engineers, Australia, November 1981.

3. New South Wales wave climate annual summaries

Public Works Department, NSW, *New South Wales Wave Climate Annual Summary 1985/86*, Manly Hydraulics Laboratory, Report MHL465, September 1986.

Public Works Department, NSW, *New South Wales Wave Climate Annual Summary 1986/87*, Manly Hydraulics Laboratory, Report MHL520, October 1987.

Public Works Department, NSW, *New South Wales Wave Climate Annual Summary 1987/88*, Manly Hydraulics Laboratory, Report MHL547, October 1988.

Public Works Department, NSW, *New South Wales Wave Climate Annual Summary 1988/89*, Manly Hydraulics Laboratory, Report MHL560, November 1989.

Public Works Department, NSW, *New South Wales Wave Climate Annual Summary 1989/90*, Manly Hydraulics Laboratory, Report MHL581, October 1990.

Public Works Department, NSW, *New South Wales Wave Climate Annual Summary 1990/91*, Manly Hydraulics Laboratory, Report MHL600, September 1991.

Public Works Department, NSW, *New South Wales Wave Climate Annual Summary 1991/92*, Manly Hydraulics Laboratory, Report MHL627, October 1992.

NSW Public Works, *New South Wales Wave Climate Annual Summary 1992/93*, Manly Hydraulics Laboratory, Report MHL655, September 1993.

NSW Public Works, *New South Wales Wave Climate Annual Summary 1993/94*, Manly Hydraulics Laboratory, Report MHL695, October 1994.

Department of Public Works and Services, *New South Wales Wave Climate Annual Summary 1994/95*, Manly Hydraulics Laboratory, Report MHL733, November 1995.

Department of Public Works and Services, *New South Wales Wave Climate Annual Summary 1995/96*, Manly Hydraulics Laboratory, Report MHL779, August 1996.

Department of Public Works and Services, *New South Wales Wave Climate Annual Summary 1996-97*, Manly Hydraulics Laboratory, Report MHL877, September 1997.

Department of Public Works and Services, *New South Wales Wave Climate Annual Summary 1997-98*, Manly Hydraulics Laboratory, Report MHL948, October 1998.

Department of Public Works and Services, *New South Wales Wave Climate Annual Summary 1998-99*, Manly Hydraulics Laboratory, Report MHL1016, September 1999.

Department of Public Works and Services, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 1999-2000*, Manly Hydraulics Laboratory, Report MHL1072, October 2000.

Department of Public Works and Services, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2000-2001*, Manly Hydraulics Laboratory, Report MHL1132, October 2001.

Department of Public Works and Services, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2001-2002*, Manly Hydraulics Laboratory, Report MHL1208, March 2003.

Department of Commerce, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2002-2003*, Manly Hydraulics Laboratory, Report MHL1279, October 2003.

Department of Commerce, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2003-2004*, Manly Hydraulics Laboratory, Report MHL1349, October 2004.

Department of Commerce, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2004-2005*, Manly Hydraulics Laboratory, Report MHL1425, November 2005.

Department of Commerce, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2005-2006*, Manly Hydraulics Laboratory, Report MHL1514, March 2007.

Department of Commerce, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2006-2007*, Manly Hydraulics Laboratory, Report MHL1766, March 2008.

Department of Commerce, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2007-2008*, Manly Hydraulics Laboratory, Report MHL1850, September 2008.

Department of Commerce, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2008-2009*, Manly Hydraulics Laboratory, Report MHL1935, November 2009.

Department of Services, Technology and Administration, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2009-2010*, Manly Hydraulics Laboratory, Report MHL2012, November 2010.

Department of Finance and Services, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2010-2011*, Manly Hydraulics Laboratory, Report MHL2091, December 2011.

Department of Finance and Services, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2011-2012*, Manly Hydraulics Laboratory, Report MHL2160, November 2012.

Department of Finance and Services, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2012-2013*, Manly Hydraulics Laboratory, Report MHL2221, November 2013.

Office of Finance and Services, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2013-2014*, Manly Hydraulics Laboratory, Report MHL2294, March 2015.

Department of Finance, Services and Innovation, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2014-2015*, Manly Hydraulics Laboratory, Report MHL2386, March 2016.

Department of Finance, Services and Innovation, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2015-2016*, Manly Hydraulics Laboratory, Report MHL2477, November 2016.

Department of Finance, Services and Innovation, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2016-2017*, Manly Hydraulics Laboratory, Report MHL2576, November 2017.

Department of Finance, Services and Innovation, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2017-2018*, Manly Hydraulics Laboratory, Report MHL2620, March 2019.

Department of Planning, Industry and Environment, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2018-2019*, Manly Hydraulics Laboratory, Report MHL2695, January 2020.

Department of Planning, Industry and Environment, *New South Wales Wave Climate and Coastal Air Pressure Annual Summary 2019-2020*, Manly Hydraulics Laboratory, Report MHL2772, March 2021.



**Manly
Hydraulics
Laboratory**
110B King Street
Manly Vale NSW 2093
www.mhl.nsw.gov.au